

Example

# Change Pages with Timecode

|                     |  |
|---------------------|--|
| <b>by:</b>          | Sebastian Beutel, July 2022  |
| <b>published:</b>   | here   |
| <b>description:</b> | change playback pages if enabled (useful with timecode)  |
| <b>remarks:</b>     | idea from Discord/Avolites Users#general:<br>Antisthenes — 12.07.2022<br>triggering or macro question please<br>Is there any way to auto switch the song playback page when corresponding timecode starts? |

[playback](#), [page](#), [toggle](#)

## functions

- [ActionScript.SetProperty.Boolean](#)
- [Handles.Playbacks.ChangePage](#)

## affected properties

- [custom](#)

## control structures

- [step condition](#)
- [Active Binding](#)

## Code

[ChangePages.xml](#)

```
<?xml version="1.0" encoding="utf-8"?>
<avolites.macros>

  <!-- idea from Discord/Avolites Users#general:
  Antisthenes – 12.07.2022
  triggering or macro question please raised_hand
  Is there any way to auto switch the song playback page when
  corresponding timecode starts?
  -->

  <macro id="Wiki.Macros.Timecode.TogglePages" name="Toggle Pb Pages By
  Timecode">
    <description>Toggle Pb Pages By Timecode.</description>
    <variables>
```

```
<boolean id="Enabled" value="True"/>
</variables>
<active binding="Wiki.Macros.Timecode.TogglePages.Enabled"/>
<sequence>
<step>ActionScript.SetProperty.Boolean("Wiki.Macros.Timecode.TogglePages.Enabled", !Wiki.Macros.Timecode.TogglePages.Enabled)</step>
</sequence>
</macro>

<macro id="Wiki.Macros.Playbacks.Page1" name="Toggle Pb to Page 1">
<sequence>
<step
condition="Wiki.Macros.Timecode.TogglePages.Enabled">Handles.Playbacks.ChangePage(0)</step>
</sequence>
</macro>

<macro id="Wiki.Macros.Playbacks.Page2" name="Toggle Pb to Page 2">
<sequence>
<step
condition="Wiki.Macros.Timecode.TogglePages.Enabled">Handles.Playbacks.ChangePage(1)</step>
</sequence>
</macro>
</avolites.macros>
```

## Explanation

This explains the functional steps within the sequence. For all the other XML details please refer to [Formats and syntax](#)

tbd

## How to use it

1. [make this macro available](#)

tbd

From:  
<https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:  
<https://avosupport.de/wiki/macros/example/changepageswithtimecode?rev=1657888631>

Last update: **2022/07/15 12:37**

