

Example

# Create Dummy Palettes

|                     |   |
|---------------------|---|
| <b>by:</b>          | Sebastian Beutel  |
| <b>published:</b>   | August 2023   |
| <b>description:</b> | idea: Discord, @TEMO,<br><a href="https://discord.com/channels/914233237038071819/914233380449681408/1138598827285282997">https://discord.com/channels/914233237038071819/914233380449681408/1138598827285282997</a><br>patch a dummy fixture, create colour palettes, remove dummy fixture |
| <b>remarks:</b>     | start a new show and fire this macro. It will create global colour palettes for you.  |

[setip](#), [start](#), [dummy](#), [palette](#), [patch](#), [fixture](#), [macro](#)

## functions

- [someusedfunction](#)
- [anotherusedfunction](#)
- [someusedfunction](#)
- [anotherusedfunction](#)

## affected properties

- [someproperty](#)
- [anotherusedproperty](#)

## control structures

- [step condition](#)

## Code

[filename.xml](#)

```
<?xml version="1.0" encoding="utf-8"?>
<avolites.macros xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:noNamespaceSchemaLocation="Avolites.Menus.xsd">
  <macro name="" id="">
    <description></description>
    <sequence>
      <step></step>
    </sequence>
  </macro>
</avolites.macros>
```

## Explanation

This explains the functional steps within the sequence. For all the other XML details please refer to [Formats and syntax](#)

tbd

## How to use it

1. [make this macro available](#)

tbd

From:  
<https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:  
<https://avosupport.de/wiki/macros/example/createdummpalettes?rev=1723232453>

Last update: **2024/08/09 19:40**

