

Example

Create Dummy Palettes

by:	Sebastian Beutel
published:	August 2023
description:	idea: Discord , @TEMO patch a dummy fixture, create colour palettes, remove dummy fixture This is a really huge macro which documents a lot of programming techniques, e.g. patching a fixture, setting values in the programmer, creating palettes, storing cues and cuelists
remarks:	start a new show and fire this macro. It will create global colour palettes for you.

[setup](#), [start](#), [dummy](#), [palette](#), [patch](#), [fixture](#), [macro](#)

This was the plan:

What needs to be done :

- Unpack Macro needs to create the Dummy palettes 1 through 10, 11 through 20
- Unpack Macro needs to create the Bump Palletes 101 & 102
- Unpack Macro needs to create Playbacks(11 thro 20, 21 thro 30, 31 thro 40 & Cuelists (101 thro 110) for the Macros
- Unpack Macro needs to Link Macros to Cues in Playlist

- Unpack Macro needs to record the Playback Groups for the Bump Selection
- Unpack Macro needs to create a Layout View and move the Selection Cue Lists to the Colour picker
- Layout at position X & Y
- Unpack Macro needs to add the Colour Selection Button Macros to the layout view

The macro shown here does the first half of the tasks.

functions

- [someusedfunction](#)
- [anotherusedfunction](#)
- [someusedfunction](#)
- [anotherusedfunction](#)

affected properties

- [someproperty](#)
- [anotherusedproperty](#)

control structures

- [step condition](#)

[Full file here:](#)

createdummypalettes.xml

Code

[createDummyPalettesShort.xml](#)

```
1. <?xml version="1.0" encoding="utf-8"?>
2. <avolites.macros>
3.
4.   <!-- at first some dummy macros, to check the linking in the
      cuelists -->
5.
6.   <macro id="Wiki.Macros.Dummy.001" name="Dummy Macro 001">
7.     <description>Dummy Macro 001</description>
8.     <sequence>
9.   </sequence>
10.  </macro>
11.
12.  <macro id="Wiki.Macros.Dummy.002" name="Dummy Macro 002">
13.    <description>Dummy Macro 002</description>
14.    <sequence>
15.  </sequence>
16.  </macro>
17.
18.  <macro id="Wiki.Macros.Dummy.003" name="Dummy Macro 003">
19.    <description>Dummy Macro 003</description>
20.    <sequence>
21.  </sequence>
22.  </macro>
23.
24.  <macro id="Wiki.Macros.Dummy.004" name="Dummy Macro 004">
25.    <description>Dummy Macro 004</description>
26.    <sequence>
27.  </sequence>
28.  </macro>
29.
30.  <macro id="Wiki.Macros.Dummy.005" name="Dummy Macro 005">
31.    <description>Dummy Macro 005</description>
32.    <sequence>
33.  </sequence>
34.  </macro>
35.
36.  <macro id="Wiki.Macros.Dummy.006" name="Dummy Macro 006">
37.    <description>Dummy Macro 006</description>
38.    <sequence>
39.  </sequence>
```

```
40. </macro>
41.
42. <macro id="Wiki.Macros.Dummy.007" name="Dummy Macro 007">
43.   <description>Dummy Macro 007</description>
44.   <sequence>
45.     </sequence>
46. </macro>
47.
48. <macro id="Wiki.Macros.Dummy.008" name="Dummy Macro 008">
49.   <description>Dummy Macro 008</description>
50.   <sequence>
51.     </sequence>
52. </macro>
53.
54. <macro id="Wiki.Macros.Dummy.009" name="Dummy Macro 009">
55.   <description>Dummy Macro 009</description>
56.   <sequence>
57.     </sequence>
58. </macro>
59.
60. <macro id="Wiki.Macros.Dummy.010" name="Dummy Macro 010">
61.   <description>Dummy Macro 010</description>
62.   <sequence>
63.     </sequence>
64. </macro>
65.
66. <!-- the heavy lifting -->
67.
68. <macro id="Wiki.Macros.Palette.CreateDummy.001" name="Create
69. Dummy Palettes v.001">
70.   <sequence>
71.     <!-- patch an RGB fixture -->
72.     <!-- patch an RGB fixture -->
73.
74.     <step>ActionScript.SetProperty("Patch.CurrentUserNumber",
75.     userNumber:999)</step>
76.     <step>Fixtures.PatchFixturesToVacantHandles("Fixtures",
77.     "Expolite", "TourLED 42 CM MKII", "ARC.1, 3 DMX", 1, 3, "")</step>
78.     <step>Handles.SetSourceHandleFromHandle("fixtureHandleUN=999")</st
79.     ep>
80.     <step>ActionScript.SetProperty.Enum("Handles.OperationMode",
81.     "move")</step>
82.     <step>Handles.CopyDestination("Fixtures", 99)</step>
83.     <step>Handles.ClearSelection()</step>
84.
85.     <!-- select fixture -->
86.
87.     <step
88.     pause="0.1">Programmer.Editor.Selection.SelectFixture(handle:"fixt
```

```
ureHandleUN=999" )</step>
84.
85.     <!-- set some colour values and quick-create palettes -->
86.
87.     <step>Programmer.Editor.Fixtures.SetControlValueById(240, 1,
1.0, true, true)</step>
88.     <step>Programmer.Editor.Fixtures.SetControlValueById(256, 1,
0.6, true, true)</step>
89.     <step>Programmer.Editor.Fixtures.SetControlValueById(272, 1,
0.2, true, true)</step>
90.     <step
pause="0.1">Palette.QuickCreatePalette(Handles.CreateHandleReferen
ce("Colours", 0, 0), "C", userNumber:101, "", 0)</step>
91.
92.     <step>Programmer.Editor.Fixtures.SetControlValueById(240, 1,
0.5, true, true)</step>
93.     <step>Programmer.Editor.Fixtures.SetControlValueById(256, 1,
1.0, true, true)</step>
94.     <step>Programmer.Editor.Fixtures.SetControlValueById(272, 1,
0.5, true, true)</step>
95.     <step
pause="0.1">Palette.QuickCreatePalette(Handles.CreateHandleReferen
ce("Colours", 0, 1), "C", userNumber:102, "", 0)</step>
96.
97.     <step>Programmer.Editor.Fixtures.SetControlValueById(240, 1,
0.0, true, true)</step>
98.     <step>Programmer.Editor.Fixtures.SetControlValueById(256, 1,
0.3, true, true)</step>
99.     <step>Programmer.Editor.Fixtures.SetControlValueById(272, 1,
1.0, true, true)</step>
100.    <step
pause="0.1">Palette.QuickCreatePalette(Handles.CreateHandleReferen
ce("Colours", 0, 2), "C", userNumber:103, "", 0)</step>
101.
102.    <step>Programmer.Editor.Fixtures.SetControlValueById(240, 1,
0.2, true, true)</step>
103.    <step>Programmer.Editor.Fixtures.SetControlValueById(256, 1,
0.9, true, true)</step>
104.    <step>Programmer.Editor.Fixtures.SetControlValueById(272, 1,
0.4, true, true)</step>
105.    <step
pause="0.1">Palette.QuickCreatePalette(Handles.CreateHandleReferen
ce("Colours", 0, 3), "C", userNumber:104, "", 0)</step>
106.
107.    <step>Programmer.Editor.Fixtures.SetControlValueById(240, 1,
0.3, true, true)</step>
108.    <step>Programmer.Editor.Fixtures.SetControlValueById(256, 1,
0.6, true, true)</step>
109.    <step>Programmer.Editor.Fixtures.SetControlValueById(272, 1,
1.0, true, true)</step>
```

```
110.     <step
      pause="0.1">Palette.QuickCreatePalette(Handles.CreateHandleReferen
      ce("Colours", 0, 4), "C", userNumber:105, "", 0)</step>
111.
112.     <!-- clear programmer -->
113.
114.     <step>Programmer.Editor.ClearAll(false, false)</step>
115.
116.     <!-- create abstract palettes -->
117.
118.     <step
      pause="0.1">Programmer.Editor.Selection.SelectFixture(handle:"fixt
      ureHandleUN=999")</step>
119.     <step
      pause="0.1">Palette.ApplyPalette("Location=Colours,0,0",
      false)</step>
120.     <step
      pause="0.1">Palette.QuickCreatePalette(Handles.CreateHandleReferen
      ce("Colours", 0, 15), "C", userNumber:201, "Foreground", 0)</step>
121.     <step
      pause="0.1">Palette.QuickCreatePalette(Handles.CreateHandleReferen
      ce("Colours", 0, 16), "C", userNumber:202, "Background", 0)</step>
122.     <step pause="0.1">Programmer.Editor.ClearAll(false,
      false)</step>
123.
124.     <!-- create Playbacks (11~20, 21~30, 31~40) & Cuelists
      (101~110) -->
125.
126.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 211,
      true)</step>
127.     <step>Handles.SetSourceHandle("PlaybackWindow", 211)</step>
128.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
      userNumber:11)</step>
129.     <step>Handles.SetUserNumber()</step>
130.     <step>Handles.ClearSelection()</step>
131.
132.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 212,
      true)</step>
133.     <step>Handles.SetSourceHandle("PlaybackWindow", 212)</step>
134.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
      userNumber:12)</step>
135.     <step>Handles.SetUserNumber()</step>
136.     <step>Handles.ClearSelection()</step>
137.
138.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 213,
      true)</step>
139.     <step>Handles.SetSourceHandle("PlaybackWindow", 213)</step>
140.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
      userNumber:13)</step>
141.     <step>Handles.SetUserNumber()</step>
142.     <step>Handles.ClearSelection()</step>
```

```
143.
144.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 214,
true)</step>
145.     <step>Handles.SetSourceHandle("PlaybackWindow", 214)</step>
146.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:14)</step>
147.     <step>Handles.SetUserNumber()</step>
148.     <step>Handles.ClearSelection()</step>
149.
150.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 215,
true)</step>
151.     <step>Handles.SetSourceHandle("PlaybackWindow", 215)</step>
152.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:15)</step>
153.     <step>Handles.SetUserNumber()</step>
154.     <step>Handles.ClearSelection()</step>
155.
156.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 216,
true)</step>
157.     <step>Handles.SetSourceHandle("PlaybackWindow", 216)</step>
158.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:16)</step>
159.     <step>Handles.SetUserNumber()</step>
160.     <step>Handles.ClearSelection()</step>
161.
162.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 217,
true)</step>
163.     <step>Handles.SetSourceHandle("PlaybackWindow", 217)</step>
164.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:17)</step>
165.     <step>Handles.SetUserNumber()</step>
166.     <step>Handles.ClearSelection()</step>
167.
168.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 218,
true)</step>
169.     <step>Handles.SetSourceHandle("PlaybackWindow", 218)</step>
170.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:18)</step>
171.     <step>Handles.SetUserNumber()</step>
172.     <step>Handles.ClearSelection()</step>
173.
174.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 219,
true)</step>
175.     <step>Handles.SetSourceHandle("PlaybackWindow", 219)</step>
176.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:19)</step>
177.     <step>Handles.SetUserNumber()</step>
178.     <step>Handles.ClearSelection()</step>
179.
180.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 220,
```

```
    true)</step>
181.     <step>Handles.SetSourceHandle("PlaybackWindow", 220)</step>
182.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:20)</step>
183.     <step>Handles.SetUserNumber()</step>
184.     <step>Handles.ClearSelection()</step>
185.
186.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 221,
true)</step>
187.     <step>Handles.SetSourceHandle("PlaybackWindow", 221)</step>
188.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:21)</step>
189.     <step>Handles.SetUserNumber()</step>
190.     <step>Handles.ClearSelection()</step>
191.
192.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 222,
true)</step>
193.     <step>Handles.SetSourceHandle("PlaybackWindow", 222)</step>
194.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:22)</step>
195.     <step>Handles.SetUserNumber()</step>
196.     <step>Handles.ClearSelection()</step>
197.
198.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 223,
true)</step>
199.     <step>Handles.SetSourceHandle("PlaybackWindow", 223)</step>
200.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:23)</step>
201.     <step>Handles.SetUserNumber()</step>
202.     <step>Handles.ClearSelection()</step>
203.
204.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 224,
true)</step>
205.     <step>Handles.SetSourceHandle("PlaybackWindow", 224)</step>
206.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:24)</step>
207.     <step>Handles.SetUserNumber()</step>
208.     <step>Handles.ClearSelection()</step>
209.
210.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 225,
true)</step>
211.     <step>Handles.SetSourceHandle("PlaybackWindow", 225)</step>
212.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:25)</step>
213.     <step>Handles.SetUserNumber()</step>
214.     <step>Handles.ClearSelection()</step>
215.
216.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 226,
true)</step>
217.     <step>Handles.SetSourceHandle("PlaybackWindow", 226)</step>
218.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
```

```
userNumber:26)</step>
219.     <step>Handles.SetUserNumber()</step>
220.     <step>Handles.ClearSelection()</step>
221.
222.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 227,
true)</step>
223.     <step>Handles.SetSourceHandle("PlaybackWindow", 227)</step>
224.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:27)</step>
225.     <step>Handles.SetUserNumber()</step>
226.     <step>Handles.ClearSelection()</step>
227.
228.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 228,
true)</step>
229.     <step>Handles.SetSourceHandle("PlaybackWindow", 228)</step>
230.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:28)</step>
231.     <step>Handles.SetUserNumber()</step>
232.     <step>Handles.ClearSelection()</step>
233.
234.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 229,
true)</step>
235.     <step>Handles.SetSourceHandle("PlaybackWindow", 229)</step>
236.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:29)</step>
237.     <step>Handles.SetUserNumber()</step>
238.     <step>Handles.ClearSelection()</step>
239.
240.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 230,
true)</step>
241.     <step>Handles.SetSourceHandle("PlaybackWindow", 230)</step>
242.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:30)</step>
243.     <step>Handles.SetUserNumber()</step>
244.     <step>Handles.ClearSelection()</step>
245.
246.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 231,
true)</step>
247.     <step>Handles.SetSourceHandle("PlaybackWindow", 231)</step>
248.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:31)</step>
249.     <step>Handles.SetUserNumber()</step>
250.     <step>Handles.ClearSelection()</step>
251.
252.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 232,
true)</step>
253.     <step>Handles.SetSourceHandle("PlaybackWindow", 232)</step>
254.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:32)</step>
255.     <step>Handles.SetUserNumber()</step>
```

```
256.     <step>Handles.ClearSelection()</step>
257.
258.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 233,
true)</step>
259.     <step>Handles.SetSourceHandle("PlaybackWindow", 233)</step>
260.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:33)</step>
261.     <step>Handles.SetUserNumber()</step>
262.     <step>Handles.ClearSelection()</step>
263.
264.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 234,
true)</step>
265.     <step>Handles.SetSourceHandle("PlaybackWindow", 234)</step>
266.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:34)</step>
267.     <step>Handles.SetUserNumber()</step>
268.     <step>Handles.ClearSelection()</step>
269.
270.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 235,
true)</step>
271.     <step>Handles.SetSourceHandle("PlaybackWindow", 235)</step>
272.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:35)</step>
273.     <step>Handles.SetUserNumber()</step>
274.     <step>Handles.ClearSelection()</step>
275.
276.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 236,
true)</step>
277.     <step>Handles.SetSourceHandle("PlaybackWindow", 236)</step>
278.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:36)</step>
279.     <step>Handles.SetUserNumber()</step>
280.     <step>Handles.ClearSelection()</step>
281.
282.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 237,
true)</step>
283.     <step>Handles.SetSourceHandle("PlaybackWindow", 237)</step>
284.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:37)</step>
285.     <step>Handles.SetUserNumber()</step>
286.     <step>Handles.ClearSelection()</step>
287.
288.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 238,
true)</step>
289.     <step>Handles.SetSourceHandle("PlaybackWindow", 238)</step>
290.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:38)</step>
291.     <step>Handles.SetUserNumber()</step>
292.     <step>Handles.ClearSelection()</step>
293.
294.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 239,
```

```
true)</step>
295.     <step>Handles.SetSourceHandle("PlaybackWindow", 239)</step>
296.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
    userNumber:39)</step>
297.     <step>Handles.SetUserNumber()</step>
298.     <step>Handles.ClearSelection()</step>
299.
300.     <step pause="0.1">Playbacks.StoreCue("PlaybackWindow", 240,
    true)</step>
301.     <step>Handles.SetSourceHandle("PlaybackWindow", 240)</step>
302.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
    userNumber:40)</step>
303.     <step>Handles.SetUserNumber()</step>
304.     <step>Handles.ClearSelection()</step>
305.
306.     <!-- Cuelists -->
307.     <!--
    <step>ActionScript.SetProperty("Playbacks.Editor.SelectedPlayback"
    , Playbacks.PlaybackEdit.Handle)</step> -->
308.
309.     <step
    pause="0.1">Playbacks.CueList.CreateCueList("PlaybackWindow",
    101)</step>
310.     <step>Handles.SetSourceHandle("PlaybackWindow", 101)</step>
311.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
    userNumber:101)</step>
312.     <step>Handles.SetUserNumber()</step>
313.     <step>Handles.ClearSelection()</step>
314.
    <step>Playbacks.Select.EditHandle("cueListHandleUN=101")</step>
315.
    <step>Playbacks.AppendOrInsertPlaybackStep(Playbacks.PlaybackEdit.
    Handle,1)</step>
316.
    <step>Playbacks.Editor.CueSelection.SelectCueByNumber(Playbacks.Pl
    aybackEdit.Handle, 1)</step>
317.
    <step>Playbacks.Editor.Macros.AddLinkFromId("Wiki.Macros.Dummy.001
    ")</step>
318.     <step>Playbacks.PlaybackEdit.Exit()</step>
319.
320.     <step
    pause="0.1">Playbacks.CueList.CreateCueList("PlaybackWindow",
    102)</step>
321.     <step>Handles.SetSourceHandle("PlaybackWindow", 102)</step>
322.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
    userNumber:102)</step>
323.     <step>Handles.SetUserNumber()</step>
324.     <step>Handles.ClearSelection()</step>
325.
```

```
326. <step>Playbacks.Select.EditHandle("cueListHandleUN=102")</step>
327. <step>Playbacks.AppendOrInsertPlaybackStep(Playbacks.PlaybackEdit.Handle,1)</step>
328. <step>Playbacks.Editor.CueSelection.SelectCueByNumber(Playbacks.PlaybackEdit.Handle, 1)</step>
329. <step>Playbacks.PlaybackEdit.Exit()</step>
330.
331. <step
pause="0.1">Playbacks.CueList.CreateCueList("PlaybackWindow",
103)</step>
332. <step>Handles.SetSourceHandle("PlaybackWindow", 103)</step>
333. <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:103)</step>
334. <step>Handles.SetUserNumber()</step>
335. <step>Handles.ClearSelection()</step>
336.
337. <step>Playbacks.Select.EditHandle("cueListHandleUN=103")</step>
338. <step>Playbacks.AppendOrInsertPlaybackStep(Playbacks.PlaybackEdit.Handle,1)</step>
339. <step>Playbacks.Editor.CueSelection.SelectCueByNumber(Playbacks.PlaybackEdit.Handle, 1)</step>
340. <step>Playbacks.Editor.Macros.AddLinkFromId("Wiki.Macros.Dummy.003")</step>
341. <step>Playbacks.PlaybackEdit.Exit()</step>
342. <step
pause="0.1">Playbacks.CueList.CreateCueList("PlaybackWindow",
104)</step>
343. <step>Handles.SetSourceHandle("PlaybackWindow", 104)</step>
344. <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:104)</step>
345. <step>Handles.SetUserNumber()</step>
346. <step>Handles.ClearSelection()</step>
347.
348. <step>Playbacks.Select.EditHandle("cueListHandleUN=104")</step>
349. <step>Playbacks.AppendOrInsertPlaybackStep(Playbacks.PlaybackEdit.Handle,1)</step>
350. <step>Playbacks.Editor.CueSelection.SelectCueByNumber(Playbacks.PlaybackEdit.Handle, 1)</step>
<step>Playbacks.Editor.Macros.AddLinkFromId("Wiki.Macros.Dummy.004
```

```
)</step>
351.     <step>Playbacks.PlaybackEdit.Exit()</step>
352.
353.     <step
pause="0.1">Playbacks.CueList.CreateCueList("PlaybackWindow",
105)</step>
354.     <step>Handles.SetSourceHandle("PlaybackWindow", 105)</step>
355.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:105)</step>
356.     <step>Handles.SetUserNumber()</step>
357.     <step>Handles.ClearSelection()</step>
358.
<step>Playbacks.Select.EditHandle("cueListHandleUN=105")</step>
359.
<step>Playbacks.AppendOrInsertPlaybackStep(Playbacks.PlaybackEdit.
Handle,1)</step>
360.
<step>Playbacks.Editor.CueSelection.SelectCueByNumber(Playbacks.Pl
aybackEdit.Handle, 1)</step>
361.
<step>Playbacks.Editor.Macros.AddLinkFromId("Wiki.Macros.Dummy.005
")</step>
362.     <step>Playbacks.PlaybackEdit.Exit()</step>
363.
364.     <step
pause="0.1">Playbacks.CueList.CreateCueList("PlaybackWindow",
106)</step>
365.     <step>Handles.SetSourceHandle("PlaybackWindow", 106)</step>
366.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:106)</step>
367.     <step>Handles.SetUserNumber()</step>
368.     <step>Handles.ClearSelection()</step>
369.
<step>Playbacks.Select.EditHandle("cueListHandleUN=106")</step>
370.
<step>Playbacks.AppendOrInsertPlaybackStep(Playbacks.PlaybackEdit.
Handle,1)</step>
371.
<step>Playbacks.Editor.CueSelection.SelectCueByNumber(Playbacks.Pl
aybackEdit.Handle, 1)</step>
372.
<step>Playbacks.Editor.Macros.AddLinkFromId("Wiki.Macros.Dummy.006
")</step>
373.     <step>Playbacks.PlaybackEdit.Exit()</step>
374.
375.     <step
pause="0.1">Playbacks.CueList.CreateCueList("PlaybackWindow",
107)</step>
376.     <step>Handles.SetSourceHandle("PlaybackWindow", 107)</step>
377.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
```

```
    userNumber:107) </step>
378.    <step>Handles.SetUserNumber()</step>
379.    <step>Handles.ClearSelection()</step>
380.
    <step>Playbacks.Select.EditHandle("cueListHandleUN=107")</step>
381.
    <step>Playbacks.AppendOrInsertPlaybackStep(Playbacks.PlaybackEdit.
Handle,1)</step>
382.
    <step>Playbacks.Editor.CueSelection.SelectCueByNumber(Playbacks.Pl
aybackEdit.Handle, 1)</step>
383.
    <step>Playbacks.Editor.Macros.AddLinkFromId("Wiki.Macros.Dummy.007
")</step>
384.    <step>Playbacks.PlaybackEdit.Exit()</step>
385.
386.    <step
pause="0.1">Playbacks.CueList.CreateCueList("PlaybackWindow",
108)</step>
387.    <step>Handles.SetSourceHandle("PlaybackWindow", 108)</step>
388.    <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:108)</step>
389.    <step>Handles.SetUserNumber()</step>
390.    <step>Handles.ClearSelection()</step>
391.
    <step>Playbacks.Select.EditHandle("cueListHandleUN=108")</step>
392.
    <step>Playbacks.AppendOrInsertPlaybackStep(Playbacks.PlaybackEdit.
Handle,1)</step>
393.
    <step>Playbacks.Editor.CueSelection.SelectCueByNumber(Playbacks.Pl
aybackEdit.Handle, 1)</step>
394.
    <step>Playbacks.Editor.Macros.AddLinkFromId("Wiki.Macros.Dummy.008
")</step>
395.    <step>Playbacks.PlaybackEdit.Exit()</step>
396.
397.    <step
pause="0.1">Playbacks.CueList.CreateCueList("PlaybackWindow",
109)</step>
398.    <step>Handles.SetSourceHandle("PlaybackWindow", 109)</step>
399.    <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:109)</step>
400.    <step>Handles.SetUserNumber()</step>
401.    <step>Handles.ClearSelection()</step>
402.
    <step>Playbacks.Select.EditHandle("cueListHandleUN=109")</step>
403.
    <step>Playbacks.AppendOrInsertPlaybackStep(Playbacks.PlaybackEdit.
Handle,1)</step>
404.
```

```
<step>Playbacks.Editor.CueSelection.SelectCueByNumber(Playbacks.PlaybackEdit.Handle, 1)</step>
405.
<step>Playbacks.Editor.Macros.AddLinkFromId("Wiki.Macros.Dummy.009")</step>
406.     <step>Playbacks.PlaybackEdit.Exit()</step>
407.
408.     <step
pause="0.1">Playbacks.CueList.CreateCueList("PlaybackWindow",
110)</step>
409.     <step>Handles.SetSourceHandle("PlaybackWindow", 110)</step>
410.     <step>ActionScript.SetProperty("Handles.CurrentUserNumber",
userNumber:110)</step>
411.     <step>Handles.SetUserNumber()</step>
412.     <step>Handles.ClearSelection()</step>
413.
<step>Playbacks.Select.EditHandle("cueListHandleUN=110")</step>
414.
<step>Playbacks.AppendOrInsertPlaybackStep(Playbacks.PlaybackEdit.Handle,1)</step>
415.
<step>Playbacks.Editor.CueSelection.SelectCueByNumber(Playbacks.PlaybackEdit.Handle, 1)</step>
416.
<step>Playbacks.Editor.Macros.AddLinkFromId("Wiki.Macros.Dummy.010")</step>
417.     <step>Playbacks.PlaybackEdit.Exit()</step>
418.
419.     <!-- unassign dummy fixture -->
420.
421.     <step
pause="0.2">ActionScript.SetProperty.Boolean("Handles.AllowDeleteFixtures", true)</step>
422.
<step>Handles.SetSourceHandleFromHandle("fixtureHandleUN=999")</step>
423.     <step>Handles.ConfirmRelease()</step> <!-- in order to
delete use Handles.ConfirmDelete() -->
424.
<step>ActionScript.SetProperty.Boolean("Handles.AllowDeleteFixtures", false)</step>
425.
426.     <step><menuLink id="Windows.Playbacks"
stack="mainWindowStack" behaviour="PushOrRaise" /></step>
427.     <step><menuLink id="Windows.Colours" stack="mainWindowStack"
behaviour="PushOrRaise" /></step>
428.
429.
430. </sequence>
431. </macro>
```

```
432. </avolites.macros>
```

Explanation

This explains the functional steps within the sequence. For all the other XML details please refer to [Formats and syntax](#)

tbd

How to use it

1. [make this macro available](#)

tbd

From:
<https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:
<https://avosupport.de/wiki/macros/example/createdummyspalettes?rev=1723233836>

Last update: **2024/08/09 20:03**

