Example

# Delete Workspace X

| | |
|---|---|
| **by:** | Sebastian Beutel |
| **published:** | June 2018 |
| **description:** | deletes a designated workspace |

[delete, workspace, handle]

### functions

- ActionScript.SetProperty.Boolean
- Handles.SetSourceHandle
- Handles.ConfirmDelete

### affected properties

- Handles.AllowEditWorkspaces

## Code

DeleteWorkspace.xml

```
<?xml version="1.0" encoding="utf-8"?>
<avolites.macros xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:noNamespaceSchemaLocation="Avolites.Menus.xsd">
<macro id="UserMacro.sb_delWs2">
  <name>sb delete ws 2</name>
  <sequence>
    <step
pause="0.001">ActionScript.SetProperty.Boolean("Handles.AllowEditWorksp
aces", true)</step>
    <step pause="0.001">Handles.SetSourceHandle("Workspaces", 2)</step>
    <step pause="0.001">Handles.ConfirmDelete()</step>
    <step
pause="0.001">ActionScript.SetProperty.Boolean("Handles.AllowEditWorksp
aces", false)</step>
  </sequence>
</macro>
</avolites.macros>
```

## Explanation

This explains the functional steps within the sequence. For all the other XML details please refer to Formats and syntax

- `ActionScript.SetProperty.Boolean("Handles.AllowEditWorkspaces", true)` unlocks the workspaces to be edited/deleted
- `Handles.SetSourceHandle("Workspaces", 2)` marks the workspace #3 as sourHandle for the next operation
- `Handles.ConfirmDelete()` deletes the previously selected handle (the workspace #3)
- `ActionScript.SetProperty.Boolean("Handles.AllowEditWorkspaces", false)` locks the workspaces from being edited/deleted

## How to use it

- make this macro available
- while it may be interesting to delete a workspace by individual macro, a good use case is shown in Create Workspaces

From:
https://avosupport.de/wiki/ - **AVOSUPPORT**

Permanent link:
**https://avosupport.de/wiki/macros/example/deleteworkspace?rev=1535226225**

Last update: **2018/08/25 19:43**