

Example

# Cuelist - Fire specific cue

<b>by:</b>	Alex del Bondio, Dec 2019
<b>published:</b>	here
<b>description:</b>	jump to a specific cue within a cuelist <a href="#">go</a> , <a href="#">cuelist</a> , <a href="#">cue</a>

These macros are just an addition to the factory macro "Go To My Cue 1".

## functions

- [CueLists.SetNextCue](#)
- [CueLists.Play](#)

## Code

[gotomycue.xml](#)

```
<?xml version="1.0" encoding="utf-8"?>
<avolites.macros>

  <macro id="adb.Macros.GotoMyCue50" name="Goto My Cue 50">
    <sequence>
      <step>CueLists.SetNextCue(this,50.0)</step>
      <step>CueLists.Play(this)</step>
    </sequence>
  </macro>
  <macro id="adb.Macros.GotoMyCue100" name="Goto My Cue 100">
    <sequence>
      <step>CueLists.SetNextCue(this,100.0)</step>
      <step>CueLists.Play(this)</step>
    </sequence>
  </macro>
  <macro id="adb.Macros.GotoMyCue200" name="Goto My Cue 200">
    <sequence>
      <step>CueLists.SetNextCue(this,200.0)</step>
      <step>CueLists.Play(this)</step>
    </sequence>
  </macro>
</avolites.macros>
```

## Explanation

This explains the functional steps within the sequence. For all the other XML details please refer to [Formats and syntax](#)

- `CueLists.SetNextCue` selects a specific cue as next cue
- `CueLists.Play(this)` advances cue list
- `(this)` references to the cue list the macro is triggered from

## How to use it

1. [make this macro available](#)

From:

<https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:

<https://avosupport.de/wiki/macros/example/jumptocue?rev=1577150293>

Last update: **2019/12/24 01:18**

