

Example

System - Lock Console

by:	Mike Vandevooort
published:	February 2018, edited for v15: 2022, Sebastian Beutel
description:	locks the desk
remarks:	put your own unlock code into the macro

[lock](#)

functions

- [System.LockConsole](#)
- [LockMode.LockConsole](#)

Code

[LockConsole.xml](#)

```
<?xml version="1.0" encoding="utf-8"?>
<avolites.macros>

  <!-- M-V Rental 12/07/2017 created by Mike Vandevooort -->
  <macro id="Avolites.Macros.LockConsole" name="LockConsole">
    <sequence>
      <step pause="0.01">
        <!-- change 1009 with the lock code that you want -->
        System.LockConsole("1009")
      </step>
    </sequence>
  </macro>

  <macro id="Avolites.Macros.LockConsolev15" name="LockConsole v15">
    <sequence>
      <step>
        <!-- change 1009 with the lock code that you want -->
        LockMode.LockConsole("1009", false)
      </step>
    </sequence>
  </macro>

</avolites.macros>
```

Explanation

This explains the functional steps within the sequence. For all the other XML details please refer to [Formats and syntax](#)

This macro uses the system function `System.LockConsole()` resp. `LockMode.LockConsole()` to lock the console. There are two reasons why this may come in very handy:

- it is much quicker than the built-in menu: if you assign this macro to a button, you just need to click/press this button to lock the console
- if you have ever fat-fingered the console: with this macro you can be sure to always use the correct unlock code

How to use it

1. depending from software version you need to use the first or the second macro (the other simply does nothing)
2. replace 1009 with your own unlock code
3. [make this macro available](#)

From:
<https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:
<https://avosupport.de/wiki/macros/example/lockconsole>

Last update: **2022/12/11 07:27**

