

Example

Patch - Park fixtures 1 thru 100000

by:	Sebastian Beutel, July 2020
idea:	Yenz Nyholm, see https://www.facebook.com/groups/Avolites/permalink/1931175330348025/
description:	Parks/unparks fixtures 1 ~ 100000

[park, fixtures](#)

functions

- [Menu.Stack.PushOrReloadMenu](#)
- [Menu.InjectInput](#)
- [Programmer.Editor.Selection.GetSelectedHandles](#)
- [Handles.SetSourceHandleRangeFromHandles](#)
- [Patch.Repatch.SetDmxAddressesFromSelectedFixture](#)
- [Patch.Repatch.ParkSelectedFixtures](#)
- [Handles.ClearSelection](#)
- [Programmer.Editor.ClearAll](#)

affected properties

- [Windows.PatchView.Handles](#)
- [Patch.Repatch.SelectedFixtureHandles](#)

The repatch menu does not actually use the PatchSelection, it has its own property Patch.Repatch.SelectedFixtureHandles.

Code

[ParkFixtures1Thru100000.xml](#)

```
<?xml version="1.0" encoding="utf-8" ?>
<avolites.macros>

<!--
  Sebastian Beutel, July 2020
  idea by Yenz Nyholm
  see
  https://www.facebook.com/groups/Avolites/permalink/1931175330348025/
-->

<macro id="Avolites.Macros.ParkFixturesOneThru100000" name="Park
Fixtures 1 Thru 100000">
  <description>Parks fixtures 1 ~ 100000.</description>
```

```
<sequence>
  <step pause="0.001">Menu.Stack.PushOrReloadMenu("Primary",
"Expert.Root.Program")</step>
  <step
pause="0.001">Menu.InjectInput("OnButtonDown", "Channel", "", 0)</step>
  <step
pause="0.001">Menu.InjectInput("OnButtonDown", "NumericKeys", "", 1)</step
>
  <step
pause="0.001">Menu.InjectInput("OnButtonDown", "KeypadThrough", "", 0)</st
ep>
  <step
pause="0.001">Menu.InjectInput("OnButtonDown", "NumericKeys", "", 1)</step
>
  <step
pause="0.001">Menu.InjectInput("OnButtonDown", "NumericKeys", "", 0)</step
>
  <step
pause="0.001">Menu.InjectInput("OnButtonDown", "NumericKeys", "", 0)</step
>
  <step
pause="0.001">Menu.InjectInput("OnButtonDown", "NumericKeys", "", 0)</step
>
  <step
pause="0.001">Menu.InjectInput("OnButtonDown", "NumericKeys", "", 0)</step
>
  <step
pause="0.001">Menu.InjectInput("OnButtonDown", "KeypadEnter", "", 0)</step
>
  <step
pause="0.01">Programmer.Editor.Selection.GetSelectedHandles("Windows.Pa
tchView.Handles")</step>
  <step
pause="0.01">Handles.SetSourceHandleRangeFromHandles(Windows.PatchView.
Handles, true)</step>
  <step
pause="0.01">Patch.Repatch.SetDmxAddressesFromSelectedFixture()</step>
  <step pause="0.01">Patch.Repatch.ParkSelectedFixtures()</step>
  <step pause="0.01">Handles.ClearSelection()</step>
  <step pause="0.01">Programmer.Editor.ClearAll()</step>
</sequence>
</macro>

<macro id="Avolites.Macros.UnparkFixturesOneThru100000" name="Unpark
Fixtures 1 Thru 100000">
  <description>Unparks fixtures 1 ~ 100000.</description>
```

```
<sequence>
  <step pause="0.001">Menu.Stack.PushOrReloadMenu("Primary",
"Expert.Root.Program")</step>
  <step
pause="0.001">Menu.InjectInput("OnButtonDown", "Channel", "", 0)</step>
  <step
pause="0.001">Menu.InjectInput("OnButtonDown", "NumericKeys", "", 1)</step>
>
  <step
pause="0.001">Menu.InjectInput("OnButtonDown", "KeypadThrough", "", 0)</st
ep>
  <step
pause="0.001">Menu.InjectInput("OnButtonDown", "NumericKeys", "", 1)</step>
>
  <step
pause="0.001">Menu.InjectInput("OnButtonDown", "NumericKeys", "", 0)</step>
>
  <step
pause="0.001">Menu.InjectInput("OnButtonDown", "NumericKeys", "", 0)</step>
>
  <step
pause="0.001">Menu.InjectInput("OnButtonDown", "NumericKeys", "", 0)</step>
>
  <step
pause="0.001">Menu.InjectInput("OnButtonDown", "KeypadEnter", "", 0)</step>
>
  <step
pause="0.01">Programmer.Editor.Selection.GetSelectedHandles("Windows.Pa
tchView.Handles")</step>
  <step
pause="0.01">Handles.SetSourceHandleRangeFromHandles(Windows.PatchView.
Handles, true)</step>
  <step
pause="0.01">Patch.Repatch.SetDmxAddressesFromSelectedFixture()</step>
  <step
pause="0.01">Patch.Repatch.UnParkSelectedFixtures(true)</step>
  <step pause="0.01">Handles.ClearSelection()</step>
  <step pause="0.01">Programmer.Editor.ClearAll()</step>
</sequence>
</macro>

</avolites.macros>
```

Here, the pause="0.01" seems to be required - if there is no pause, always the previously for

repatching selected fixtures will be parked, and if there aren't any an exception is thrown.

Explanation

This explains the functional steps within the sequence. For all the other XML details please refer to [Formats and syntax](#)

The following code is taken from [Patch - Park selected fixtures](#)

- The first line retrieves the current selection and stores it in a menu property, it is not important which one just that it is the correct type.
- From that we then set the source handle selection (this is the same selection that is used for copy, move, set legend etc.).
- The third line copies the source handle selection to the Repatch property (and initialises other properties used in the repatch menu).
- The forth line performs the Park operation and
- the last line clears the source handle selection once you are done.

How to use it

- [make this macro available](#)
- When needed, select some fixtures and apply this macro in order to park these fixtures.

From:
<https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:
<https://avosupport.de/wiki/macros/example/parkfixtures1thru100000?rev=1594386369>

Last update: **2020/07/10 13:06**

