

Example

Release Me Timed

by:	Sebastian Beutel
published:	September 2021
description:	release the calling playback over the time set
remarks:	See https://www.facebook.com/groups/448668071932099?multi_permalinks=2312999448832276 . Derived from the factory macro 'Release Me' which deliberately ignores the release time.

[release](#), [playback](#), [time](#)

functions

- [Playbacks.ReleasePlayback](#)

Code

[releasemetimed.xml](#)

```
<?xml version="1.0" encoding="utf-8"?>
<avolites.macros>

  <macro id="Avolites.Macros.ReleaseMeTimed" name="Release Me Timed">
    <sequence>
      <step>Playbacks.ReleasePlayback(this,0,false)</step>
    </sequence>
  </macro>

</avolites.macros>
```

Explanation

This explains the functional steps within the sequence. For all the other XML details please refer to [Formats and syntax](#)

This can be used as like the factory macro 'Release Me' in a cue list so that it releases itself when a particular cue is reached. Unlike the factory macro this takes the playback's release time into account.

How to use it

- [make this macro available](#)

From:
<https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:
<https://avosupport.de/wiki/macros/example/releasemetimed?rev=1632405645>

Last update: **2021/09/23 14:00**

