

Example

# Shapes - Reverse, Offset, Restart

|                     |   |
|---------------------|---|
| <b>by:</b>          | Matias Mucillo, February 2020<br>final changes by Sebastian Beutel  |
| <b>published:</b>   | inquiry: <a href="https://www.facebook.com/groups/Avolites/permalink/1799612296837663/">https://www.facebook.com/groups/Avolites/permalink/1799612296837663/</a><br>final macro: here |
| <b>description:</b> | reverses shape on part of fixtures, offsets them, restarts shape  |
| <b>remarks:</b>     | most useful for circle shapes   |

[shapes](#), [invert](#), [offset](#), [restart](#)

## functions

- [someusedfunction](#)
- [anotherusedfunction](#)

## affected properties

- [someproperty](#)
- [anotherusedproperty](#)

## control structures

- [anyspecials?](#)

## Code

[filename.xml](#)

```
<?xml version="1.0" encoding="utf-8"?>
<avolites.macros>

<!-- Symmetrical Shape -->

  <macro id="MM.Macros.Shapes.SymmShape16.4" name="mm Symmetrical Shape
16 Fix SB 4">
    <sequence>
      <step pause="0.001">Editor.Shapes.ProgrammerShapesList()</step>
      <step condition="!Editor.Shapes.ProgrammerShapes.Empty">
        Editor.Shapes.SelectAllShapes()
      </step>
      <!-- <step condition="!Editor.Shapes.EditShapesEmpty"> // not
from v12 on! -->
      <step
pause="0.001">ActionScript.SetProperty.Integer('Editor.Shapes.Spread',
```

```
8) </step>
  <step pause="0.001">Command.RunCommand("PATTERN 8 IN 16")</step>
  <step
pause="0.001">ActionScript.SetProperty.Boolean("Selection.Context.Global.RepeatPattern", true)</step>
  <step pause="0.001">Editor.Shapes.Reverse()</step>
  <step
pause="0.001">ActionScript.SetProperty.Double('Editor.Shapes.PhaseOffset', 180)</step>
  <step
pause="0.001">Programmer.RefireProgrammer(Programmer.CurrentProgrammerIds)</step>
  <step
pause="0.001">Selection.Context.Global.ClearPatternSelect()</step>
</sequence>
</macro>

</avolites.macros>
```

## Explanation

This explains the functional steps within the sequence. For all the other XML details please refer to [Formats and syntax](#)

tbd

## How to use it

1. [make this macro available](#)

tbd

From: <https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link: <https://avosupport.de/wiki/macros/example/reverseoffsetrestart?rev=1583074592>

Last update: **2020/03/01 14:56**

