

Example

Select particular Timeline

by:	Diego Lopehandía, Mar 2022
published:	here
description:	selects a particular timeline e.g. in conjunction with Open Timeline Window

[select](#), [context](#), [timeline](#)

functions

- [Editor.Timelines.SetContextTimeline](#)

Code

[selectTimeline.xml](#)

```
<?xml version="1.0" encoding="utf-8"?>
<avolites.macros>

<!-- Selects Timeline with user number 1 -->
  <macro id="Wiki.TLSetContext1">
    <name>Timeline Set Context UN=1</name>
    <sequence>
      <step
pause="0">Editor.Timelines.SetContextTimeline(handle:"timelineHandleUN=
1")</step>
    </sequence>
  </macro>

<!-- Selects Timeline at location 1 on the current playback page -->
  <macro id="Wiki.TLSetContextLocation1curr">
    <name>Timeline Set Context Location 1</name>
    <sequence>
      <step
pause="0">Editor.Timelines.SetContextTimeline("Location=Playbacks,1")</
step>
    </sequence>
  </macro>

<!-- Selects Timeline at location 1 of playback page 1 -->
  <macro id="Wiki.TLSetContextLocation1p1">
    <name>Timeline Set Context Location 1 p. 1</name>
    <sequence>
      <step
pause="0">Editor.Timelines.SetContextTimeline("Location=Playbacks,1,1")
```

```
</step>
  </sequence>
</macro>

</avolites.macros>
```

Explanation

This explains the functional steps within the sequence. For all the other XML details please refer to [Formats and syntax](#)

Most likely selecting by user number is the more common way as you can easily implement your own system of user numbers. However this example shows the use of [Location](#) referring to the current as well as a particular other page.

Edit the macros to suit your needs regarding userNumber and location.

How to use it

1. [make this macro available](#)
2. fire the macros to select a specific timeline

From:

<https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:

<https://avosupport.de/wiki/macros/example/selecttimeline>

Last update: **2022/03/23 17:20**

