

Example

# Legend - Set an icon as legend

<b>by:</b>	Sebastian Beutel, February 2019
<b>published:</b>	here
<b>description:</b>	set an icon as legend
<b>remarks:</b>	This refers to the icons which are in the library on the very machine. On the PC suite they are stored in C:\Users\...\AppData\Roaming\Avolites\Icon Library\Archive\Factory. To get a specific file, the <a href="#">Avolites Showfile Parser</a> might help (upload a show and hit Show Legends).

[set](#), [icon](#), [legend](#), [quicksketch](#)

## functions

- [Handles.SetSourceHandle](#)
- [Icons.StoreIcon](#)
- [Handles.SetIcon](#)
- [Handles.ClearSelection](#)

## affected properties

- [Expert.Legend.Set.Generic.PendingTitanId](#)

## Code

[seticonlegend.xml](#)

```
<?xml version="1.0" encoding="utf-8"?>
<avolites.macros>

  <macro name="Set Icon as Legend" id="Macros.SetLegend.Icon">
    <sequence>
      <step>Handles.SetSourceHandle("Colours", 0)</step>
      <step>Icons.StoreIcon("1caf5766-67e1-41a0-aec4-dc821f1c160a",
"Expert.Legend.Set.Generic.PendingTitanId")</step>
<step>Handles.SetIcon(Expert.Legend.Set.Generic.PendingTitanId)</step>
      <step>Handles.ClearSelection()</step>
    </sequence>
  </macro>

</avolites.macros>
```


## Explanation

This explains the functional steps within the sequence. For all the other XML details please refer to [Formats and syntax](#)

- `Handles.SetSourceHandle("Colours", 0)` selects a handle to set its legend
- `Icons.StoreIcon(".", ".")` makes sure the icon is stored in the showfile, and gives it a new TitanId. This returned in the property which is passed as 2nd parameter - here:  
`Expert.Legend.Set.Generic.PendingTitanId`
- `Handles.SetIcon(...)` finally sets this imported icon, identified by its Id, as legend for the selected handle
- `Handles.ClearSelection()` finally deselects the handle

## How to use it

- [make this macro available](#)



- this sets a specific handle to a specific quicksketch legend:
- the use of this macro appears to be very limited. However, it can be used in larger macros to initialise a show and set the legends.

From:

<https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:

<https://avosupport.de/wiki/macros/example/seticonlegend?rev=1556364633>

Last update: **2019/04/27 11:30**

