

Example

# System - Shutdown

<b>by:</b>	Marc Heimendinger
<b>published:</b>	March 2018
<b>description:</b>	Shuts Titan down.
<b>remarks:</b>	This affects only the Titan 'surface' program which is shut down without prompt. The Titan Server is not affected and keeps running.

[Shutdown](#)

## functions

- [Titan.Shutdown](#)

## Code

[shutdown.xml](#)

```
<?xml version="1.0" encoding="utf-8"?>
<avolites.macros xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:noNamespaceSchemaLocation="Avolites.Menus.xsd">
    <!-- Shuts down the console (without prompt !). Marc Heimendinger
11/03/2018 -->
    <macro id="Avolites.Macros.ShutDown" name="Shutdown">
        <description>Shuts down the console (without prompt
!) .</description>
        <sequence>
            <step pause="0.01">Titan.Shutdown()</step>
        </sequence>
    </macro>
</avolites.macros>
```

## Explanation


This explains the functional steps within the sequence. For all the other XML details please refer to [Formats and syntax](#)

This simply applies the function `Titan.Shutdown()` which immediately - and without prompt - shuts Titan down. However, only the 'Surface' program is affected (e.g. TitanOne, Titan Simulator etc) - Titan Server is not affected and keeps running in the background.

## How to use it

- [make this macro available](#)
- Fire this macro to immediately shut Titan down.

From:  
<https://www.avosupport.de/wiki/> - **AVOSUPPORT**



Permanent link:  
<https://www.avosupport.de/wiki/macros/example/shutdown>

Last update: **2019/04/27 16:54**