

ActionScript.SetProperty.Boolean

```
Void ActionScript.SetProperty.Boolean(String id, Boolean value)
```

API	http://api.avolites.com/10.1/ActionScript.SetProperty.Boolean.html
description	Sets an action script property to a boolean value.
Namespaces	ActionScript.SetProperty
parameter	id (String) : The id of the property. value (Boolean) : The value to set.
return value	(Void)

Example in

[Timecode - Enable/Disable:](#)

```
ActionScript.SetProperty.Boolean("Timecode.Enabled", true)
```

Also used in

- [Programmer - Align Fixtures](#)
- [Trigger - Toggle Audio Triggers On/Off](#)
- [Blind Mode On/Off](#)
- [Capture - Diagnostics](#)
- [Capture - Rendering Settings](#)
- [Change Pages with Timecode](#)
- [ColourChaseChanger \(V2\)](#)
- [Create Dummy Palettes](#)
- [Cuelist - Set Option FireFirstCue](#)
- [Delete Workspace X](#)
- [Off/On Attribute in Palette](#)
- [PaletteChaseChanger \(V3\)](#)
- [Shapes - Reverse All Shapes](#)
- [Shapes - Reverse, Offset, Restart](#)
- [Select all running shapes](#)
- [Set All Shapes Direction](#)
- [Set Lee Colour](#)
- [Set Playback's Shape Spread](#)
- [Timecode - Enable/Disable](#)
- [Function list](#)
- [String](#)

Remarks

Last update: 2017/10/29 16:35 macros:function:actionsript.setproperty.boolean <https://avosupport.de/wiki/macros/function/actionsript.setproperty.boolean?rev=1509294951>

From:
<https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:
<https://avosupport.de/wiki/macros/function/actionsript.setproperty.boolean?rev=1509294951>

Last update: **2017/10/29 16:35**

