

Function

# Group.CheckIfGroupExists

Void Group.CheckIfGroupExists(Single value, String propertyId)

<b>API</b>	<a href="http://api.avolites.com/11.0/Group.CheckIfGroupExists.html">http://api.avolites.com/11.0/Group.CheckIfGroupExists.html</a>
<b>description</b>	Checks if a group exists.
<b>namespace</b>	Group
<b>parameter</b>	value ( <a href="#">Single</a> ) : The group user number to check for. propertyId( <a href="#">String</a> ) : The property id to put the result in.
<b>return value</b>	<a href="#">Void</a> . Stricly this function returns its result in the propertyId as a <a href="#">Boolean</a> .

## Example in

Create/Replace Group (snippet):

```
<step>Group.CheckIfGroupExists(999.0, "Group.Numeric.IsValid")</step>
<step condition="Math.IsEqual(Group.Numeric.IsValid, True)">Group.ReplaceGroupOnHandle(userNumber:999)</step>
<step condition="Math.IsEqual(Group.Numeric.IsValid, False)">Group.StoreGroup(userNumber:999)</step>
```

## Also used in

- [Create/Replace Group \(snippet\)](#)

## Remarks

From:  
<https://www.avosupport.de/wiki/> - AVOSUPPORT

Permanent link:  
<https://www.avosupport.de/wiki/macros/function/group.checkifgroupexists>

Last update: 2019/05/04 07:11

