

Function

# Palette.ApplyPalette

```
Void Palette.ApplyPalette(Handle handle, Boolean usePaletteTimes)
```

<b>API</b>	<a href="http://api.avolites.com/10.1/Palette.ApplyPalette.html">http://api.avolites.com/10.1/Palette.ApplyPalette.html</a>
<b>description</b>	Recall the palette on a handle - if the handle isn't a palette handle does nothing
<b>namespace</b>	Palette
<b>parameter</b>	handle ( <a href="#">handle</a> ) : the palette handle to apply usePaletteTimes ( <a href="#">Boolean</a> ) : if set to true use palette times
<b>return value</b>	<a href="#">Void</a>

## Example in

[ColourChaseChanger \(V2\)](#):

```
<step>Palette.ApplyPalette("Location=Colours,1,16", false)</step>  
// applies palette from Colours window page 1 button 16 in no fade time
```

For other handle references - by TitanID or user number - see [handle](#)

## Also used in

- [Programmer - Align Fixtures](#)
- [ColourChaseChanger \(V2\)](#)
- [Create a mixed colour palette \(Snippet\)](#)
- [PaletteChaseChanger \(V3\)](#)
- [Function list](#)

## Remarks

From:  
<https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:  
<https://avosupport.de/wiki/macros/function/palette.applypalette?rev=1517143485>

Last update: **2018/01/28 12:44**

