

Function

# Playbacks.Editor.Macros.SetTargetHandle

```
Void Playbacks.Editor.Macros.SetTargetHandle(String targetId)
```

<b>API</b>	<a href="http://api.avolites.com/11.0/Playbacks.Editor.Macros.SetTargetHandle.html">http://api.avolites.com/11.0/Playbacks.Editor.Macros.SetTargetHandle.html</a>
<b>description</b>	Sets the macro handle to start editing.
<b>namespace</b>	<a href="#">Playbacks.Editor.Macros</a>
<b>parameter</b>	targetId ( <a href="#">String</a> ) : The id of the target macro to edit. Needs to match the <a href="#">macroId</a> of an existing macro.
<b>return value</b>	<a href="#">Void</a>

Inherently this sets the property [Playbacks.Editor.Macros.Target.Handle](#) to the specified macro.

## Example in

Macro - Copy Macro by MacroId:

```
<step>Playbacks.Editor.Macros.SetTargetHandle("Avolites.Macros.SnapForward")  
</step>
```

## Also used in

- [Macro - Copy Macro by MacroId](#)
- [Change Playback Timings Grid](#)
- [Playbacks.Editor.Macros.Target.Handle](#)

## Remarks

From:  
<https://www.avosupport.de/wiki/> - AVOSUPPORT

Permanent link:  
<https://www.avosupport.de/wiki/macros/function/playbacks.editor.macros.settargethandle>

Last update: 2020/04/02 21:26

