

Function

# Playbacks.Editor.Macros.SetTargetHandle

```
Void Playbacks.Editor.Macros.SetTargetHandle(String targetId)
```

|                     |   |
|---------------------|---|
| <b>API</b>          | <a href="http://api.avolites.com/11.0/Playbacks.Editor.Macros.SetTargetHandle.html">http://api.avolites.com/11.0/Playbacks.Editor.Macros.SetTargetHandle.html</a> |
| <b>description</b>  | Sets the macro handle to start editing.   |
| <b>namespace</b>    | <a href="#">Playbacks.Editor.Macros</a>   |
| <b>parameter</b>    | targetId ( <a href="#">String</a> ) : The id of the target macro to edit.   |
| <b>return value</b> | <a href="#">Void</a>  |

Inherently this sets the property [Playbacks.Editor.Macros.Target.Handle](#) to the specified macro.

## Example in

[Macro - Copy Macro by MacroId](#):

```
<step>Playbacks.Editor.Macros.SetTargetHandle("Avolites.Macros.SnapForward")  
</step>
```

## Also used in

- [Macro - Copy Macro by MacroId](#)
- [Change Playback Timings Grid](#)
- [Playbacks.Editor.Macros.Target.Handle](#)

## Remarks

From:  
<https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:  
<https://avosupport.de/wiki/macros/function/playbacks.editor.macros.settargethandle?rev=1536483749>

Last update: **2018/09/09 09:02**

