

Function

# Programmer.Editor.Fixtures.SetSelectedControlsOff

```
Void Programmer.Editor.Fixtures.SetSelectedControlsOff(Boolean offFlag)
```

<b>API</b>	<a href="http://api.avolites.com/11.0/Programmer.Editor.Fixtures.SetSelectedControlsOff.html">http://api.avolites.com/11.0/Programmer.Editor.Fixtures.SetSelectedControlsOff.html</a>
<b>description</b>	Sets whether the selected controls are marked as off.
<b>namespace</b>	<a href="#">Programmer.Editor.Fixtures</a>
<b>parameter</b>	offFlag ( <a href="#">Boolean</a> ) : if set to true Off the control, false, remove the Off.
<b>return value</b>	<a href="#">Void</a>

See example below: in order to select a control use e.g.  
[Programmer.Editor.Fixtures.SetContextAttributeFromId](#)

There is a matching function which works exactly the other way, see  
[Programmer.Editor.Fixtures.SetSelectedControlsOn](#)

## Example in

[Off/On Attribute \(snippets\)](#):

```
Programmer.Editor.Fixtures.SetSelectedControlsOff(true)
```

## Also used in

- [Off/On Attribute \(snippets\)](#)
- [Programmer.Editor.Fixtures.SetSelectedControlsOn](#)

## Remarks

From:

<https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:

<https://avosupport.de/wiki/macros/function/programmer.editor.fixtures.setselectedcontrolsoff>

Last update: **2019/05/04 11:57**

