

Function

# UserMacros.RecallMacroById

```
Void UserMacros.RecallMacroById("MacroID")
```

<b>API</b>	<a href="http://api.avolites.com/11.0/UserMacros.RecallMacroById.html">http://api.avolites.com/11.0/UserMacros.RecallMacroById.html</a>
<b>description</b>	Recalls a macro with the supplied macro ID.
<b>namespace</b>	UserMacros
<b>parameter</b>	macro ID ( <a href="#">String</a> ) : the macro ID of the macro to recall
<b>return value</b>	<a href="#">Void</a>

**Example in**

[workspacecreation](#):

```
<step>UserMacros.RecallMacroById("adb.Macros.recordworkspace1")</step> //  
recalls the macro ewith the ID "adb.Macros.recordworkspace1"
```

**Also used in**

- [Add/Remove Autoloads](#)
- [Create Workspaces](#)
- [Cuelist - Set Option FireFirstCue](#)
- [Fire/Release and highlight/ClearHighlight handles](#)
- [Quick-Create groups](#)
- [Set All Shapes Direction](#)
- [Playback - Set fade-in time - modular](#)
- [Function list](#)

**Remarks**

From:  
<https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:  
<https://avosupport.de/wiki/macros/function/usermacros.recallmacrobyid?rev=1534868091>

Last update: **2018/08/21 16:14**

