

Types/Object/Handle

# userNumber

Within Titan, each and every single item which you program has a number - simply an integer number, which you, within reason, can assign freely. In most cases, this is either not consciously used at all, or used in a user-specific system (e.g. group #1 might be the front truss or a specific group of fixtures...). The userNumber can be used to refer to a specific item. Unlike the [titanId](#) which is unique in a global scope (i.e. per show there can only be one item with a specific titanId), the userNumber is unique only in its context (e.g. fixtures, groups, palettes, playbacks, macros etc.): there can only be one fixture with the number 1 - any subsequently patched fixture will be given another userNumber. But there may also exist group 1, palette 1, or playback 1.

userNumber is a positive integer value.

Usually the userNumber is passed like this:

```
userNumber:2
```

Technically, this syntax looks like

<https://docs.microsoft.com/en-us/dotnet/csharp/programming-guide/classes-and-structs/named-and-optional-arguments>: you have to name the argument 'userNumber', and after a colon give the value.

## ASSUMPTION

It is a reasonable assumption that [AcwUserNumber](#) also refers to userNumber, but in the context of the value being given in the appropriate menu.

## used in

- [Chase - Change a chaser's XFade](#)
- [Playback - Fire/Release Playbacks from Usernumber](#)
- [Playback - Record and set userNumber](#)
- [Set Playback Priority](#)
- [Group.QuickCreateGroup](#)
- [PlaybackGroups.SetCurrentPlaybackGroupFromUserNumber](#)
- [Handle](#)
- [Identifiers](#)
- [Handles.CurrentUserNumber](#)
- [Playbacks.Editor.Times.ChaseXFade](#)
- [AcwUserNumber](#)

From:

<https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:

<https://avosupport.de/wiki/macros/identifier/usernumber?rev=1529423239>



Last update: **2018/06/19 15:47**