## Creating R20 files from d4 personalities

# (This is NOT an official documentation but simply based on my personal experiences - it might be not complete or even simply wrong in some aspects. Please give feeback if you find anything that you think should be improved.)

R20 files had been the personalities for the Classic consoles from the Pearl 2000 on. After production of the Classic consoles was stopped, Avolites also ceased to offer free personality service for this system in 2019. You can still download the existing personalities, but no new ones will be created.

This page is intended to be helpful when you need a new personality for a fixture which isn't in the library for classic consoles but does exist as d4 file for the Titan system. Please understand that this

## page is currently Work In Progress.

## **Preliminary Considerations**

It is good to understand the main differences (with regards to personalities) between the old Classic system and the new Titan system. When using the Personality Builder to export R20 files from existing d4 files you most likely need to correct some details following these points.

- 1. With R20 files, **each mode requires a separate personality file**, while in the d4 world there is only one file per fixture, holding all the modes.
- 2. **No Virtual Dimmers in Classic!** In Titan you can define a dimmer channel which doesn't exist in the fixture, to proportionally dim e.g. red/green/blue colour channels. This is not possible on Classic consoles, and thus not supported in R20 files.
- 3. **No cells/subfixtures in Classic!** Nowadays there are numerous fixtures available with many individually controllable pixels or other parts, and in Titan there is a mechanism where you can control all such parts simultaneously (as Master channels) or individualle (as subfixtures or cells). This is not possible in Classic. As such, cell modes as well as modes using cells are not supported in R20 files. There is a special feature called compatibility attributes which attempts to spread out all such attributes onto available attribute banks but this is currently not covered from this explanation.
- 4. **No Conditions in Classic!** In Titan it is rather common to have a virtual function-select attribute which controls how other attributes can be adjusted, e.g. a wheel Gobo Func where you can select Index, Scroll and Shake, and the Gobo wheel itself then shows only a subsection of all the Gobo values. This is not possible in Classic.
- 5. **No 16 bit Dimmer in Classic!** While in theory this should be possible, in reality there is an issue in the software which doesn't allow such dimmers to be dimmed down to 0. Thus you might need to reduce the resolution to 8 bit and put the extra channel elsewhere.
- 6. **Two wheels only in Classic!** While there are at least three control wheels on Titan consoles and it is easy to add and operate attributes on multiple pages, Classic consoles have only two wheels, and spreading attributes across pages is best avoided.
- 7. Classic wheel mapping not stored in d4 files! Subsequently to the previous point the wheel mapping (i.e. how the attributes are laid out onto the wheels) for Classic consoles is in most cases different from the mapping in Titan. However, as the d4 file format is targeted towards Titan, it doesn't provide means to store the mapping for Classic consoles. The personality builder has the option to export and import this as separate xml file in File ⇒ Export ⇒

Pearl Mapping. But you need to keep track of such files if you are using this.

#### 1. Check if there really doesn't exist one

Use the search on https://personalities.avolites.com/ to check if there really doesn't exist what you need - downloading is always faster than attempting to do yourself.

### 2. Update your personality library

You certainly do not want to work with old data. Thus, download and install the latest Titan Fixture Library from https://personalities.avolites.com/.

### 3. Identify the correct d4 file

We assume that a d4 personality for your fixture already exists. Luckily they usually have verbose file names - have a look in the personality folder (with the PC suite installed it is C:\Program Files (x86)\Avolites\Titan\FixtureLibrary). If you don't find what you need then search at https://personalities.avolites.com/ or https://www.avolites.de/downloads/d4find for the correct filename. If you still don't find anything then request the personality for Titan or build it yourself (this might be explained on another day).

If you have found the correct d4 file copy it to a suitable location, e.g. your desktop, and open it in the Titan Personality Builder.

If you want to try it yourself then, as an example, you can download and open the personality of the

Prolight Equinox Fusion 260ZR

. The PersoBuilder will open with the whole tree collapsed, and the Attributes (top) and Properties (bottom) tabs selected:

Reference Function 2002 R - File Edit View Tools Help	Personality Builder –	×
Equinox Fusion 260ZR	Attributes Functions Created Attributes Current Functions History Modes	Mac 4
<ul> <li>Istory</li> <li>Manual</li> <li>Physical</li> </ul>	+ Generic + Reserved Pan	^
ia-J∯ Attributes ia∯ Modes ia ► Macros	Colour Colour 1 Colour 2 Colour Macro Gobo Gobo Rot	~
Palettes	Fixture	
	Manufacturer Prolight	/
	Name Equinox Fusion 260ZR	<b>、</b>
	Name Name of this fixture	
	Properties DMX Values Channels Wheel Mapping Locate Values Cells	

## 4. Identify modes, enter references

As stated above the Classic system cannot handle some specific things which came with Titan. One of them are cells and subfixtures. Thus, cell modes as well as modes referencing those cannot be exported as R20 (we omit the 'Compatibility Attributes' workaround for the moment).

In the left-hand pane expand the Modes section by clicking on the + sign. Now it will look like this:

2010 Prolight Equinox Fusion 260ZR - Personality	y Builder			_		×
File Edit View Tools Help						
Equinox Fusion 260ZR	Attributes Functions (	Created Attributes	Current Functions	History	Modes	Max + +
Manual Physical	ବିଲୁ Pan ବ	F Reserved ⊋ Tilt Colour 1	Dimmer Shutter Colour 2			^
⊕		Gobo	Gobo Rot			~
⊕- <u>- </u> ¶_ 17 DMX	Manufacturer		Prolight			^
·	Name		Equinox Fusion	260ZR		~
<ul> <li>macros</li> <li>macros</li> <li>macros</li> <li>macros</li> </ul>	Name Name of this fixture					
	Properties DMX Values	Channels Whee	el Mapping Locate	Values	Cells	
						.::

One by one expand each mode (you might enlarge the PersoBuilder's window for a better overview), and identify the modes which you want to and can export as R20 file:


- the **2 DMX** mode features only Auto and Sound as attributes. You will hardly use this at all. Let's just skip it.
- the **8 DMX** and **17 DMX** modes look promising. We'll attempt to export those as R20.

Prolight Equinox Fusion 260ZR - P File Edit View Jools Help	ersonali	y Builder		-		×
e - ♣ Modes e - ♣ 2 DMX - ♣ 8 DMX - ♣ 8 DMX - ♣ 7 Tit - ♣ Zoom - ♥ Dimmer	^	+ Generic + R Pan Pan Pan Colour Colour Colour Colour Colour Colour Colour Colour Colour Macro	olour 1 🗧 Colour	r r 2	Modes	Mac
	*	Manufacturer       Name       Name of this fixture   Properties DMX Values CI	Prolight Equinox Fu	usion 260ZR	Cells	\$


• the **25 DMX** mode contains the sections Cell Master, Cells, and Compatibility Attributes (here empty) - this is a mode which uses cells, and thus cannot be exported as R20.

Marchight Equinox Fusion 260ZR - Personal	ty Builder	– 🗆 ×
File Edit View Tools Help		
i → → History	Attributes Functions Created Attributes Current Fu	nctions History Modes Mac · ·
Manual Physical	+ Generic + Reserved ↔ Pan Colour Colour 1 Colour 1	tter
B. J. Autobles B. J. Modes B. J. 2 DMX B. J. 8 DMX	Colour Macro Gobo Gobo	
⊕ <u>-</u> 17 DMX	Manufacturer Prolight	^
ia	Name Equinox	Fusion 260ZR v
Cells	Name Name of this fixture	
Macros V	Properties DMX Values Channels Wheel Mapping	Locate Values Cells

 finally the Cell mode is the one which is only referenced in the 25 DMX mode. proof for this is the Hidden attributes set to true: left, click on the mode Cell itself, and in the properties section (bottom right) you'll find Hidden set to True:



In order to make the selected modes exportable they each need a distinct Classic Pearl Reference. While it is possible to use up to 11 characters life is much easier if you restrict this to 8 characters. It is good practice to use the first 2 characters for an abbreviation for the manufacturer,



Do so for each mode which you plan to export as R20.

## 5. Check Wheel Mapping

Unlike Titan consoles classic only features 2 encoder wheels, and the attribute banks are structured differently. Obviously wee need to check the wheel mapping – the way how the attributes are laid out on the wheels and banks. In order to do this click on the Wheel Mapping tab on the bottom, enlarge the program window so that you have a good overview, select a mode on the left (pro tip: start with bigger modes, than smaller ones may also fit), then select the Classic Pearl tab on top-right, and tick the Filter by Mode checkbox. It will look like this:

Attributes   → ▲ Attributes   → ▲ 2 DMX   → ▲ 2 DMX   → ▲ 8 DMX   → ▲ 8 DMX   → ▲ 8 DMX   → ▲ 8 DMX   → ▲ 17 DMX   → ● 18 Dec	- 🗆 ×
Manual   Physical   Attributes	
Wheel 1       Withell         Physical       Wheel 1       Withell         Physical       Dimmer       Dimmer         Physical       Dimmer       Dimmer         Physical       Pan       Tilt       Pan         Physical       Pan       Colour       Col Mac Spd         Pan       Gobo       Pan       Pan         Pan       Gobo       Pan       Pan         Pan       Pan       Pan       Pan         Pan       Pan       Pan       Pan         Pan       Pan       Ur       Pan         Pan       Ur       Sonstiges       Pan         Pan       Ur       Pan       Ur         Pan       Ur	^
Attributes       Dimmer       Dimmer         ● ♣ 2 DMX       ● ♣ 8 DMX       Iris/Shutter         ● ♣ 8 DMX       ● ♣ 8 DMX       Iris/Shutter         ● ♣ 8 DMX       Irit       Pan         ● ♣ 7 Tit       Colour       Col Mac Spd         ● ♣ 8ed       Gobo       Irit         ● ♣ 17 DMX       ● ♣ 17 DMX       ● ♣ 17 DMX         ● ♣ 17 DMX       ● ♣ 17 DMX       ● ♣ 17 DMX         ● ♣ 17 DMX       ● ♣ 17 DMX       ● ♣ 17 DMX         ● ♣ 17 DMX       ● ♣ 17 DMX       ● ♣ 17 DMX         ● ♣ 17 DMX       ● ♣ 17 DMX       ● ♣ 17 DMX         ● ♣ 17 DMX       ● ♣ 17 DMX       ● ♣ 17 DMX         ● ♣ 17 DMX       ● ♀ 17 Speed       ● ♀ 17 Speed         ● ♣ 17 DMX       ● ♀ 17 Speed       ● ♀ 10 MX         ● ♣ 17 DMX       ● ♀ 10 MX       ● ♀ 10 MX         ● ♣ 17 DMX       ● ♀ 10 MX       ● ♀ 10 MX         ● ♀ 10 Mmer       ● ♀ 10 MX       ● ♀ 10 MX         ● ♀ 10 Mmer       ● ♀ 10 MX       ● ♀ 10 MX         ● ♀ 10 Mmer       ● ♀ 10 MX       ● ♀ 10 MX         ● ♀ 10 Mmer       ● ♀ 10 MX       ● ♀ 10 MX         ● ♀ 10 Mmer       ● ♀ 10 MX       ● ♀ 10 MX         ● ♀ 10 Mmer	heel 2
Image: second secon	
Inis/Shutter       Inis/Shutter         Pan       Tit         Pan       Tit/Pan         Tit       Colour         Zoom       Colour         Dimmer       Zoom/Focus         Red       Gobo         Blue       Gobo Function         Pan       Speed         P/T Speed       Cyan/Magenta         Red       Cyan/Magenta         Pan       Ur         Pan       Vitter         Pan       Ur         Shuter       Pan         Blue       Channel         LTP       White	
Pan       Tilt       Pan         Tilt       Colour       Col Mac Spd         Dimmer       Zoom       Zoom         Red       Gobo       Gobo         Blue       Gobo Function       Speed         Tilt       Pan       Effect/Yellow         Pan       Cyan/Magenta       Red         Ommer       Zoom       Green         Pan       Ur       Filter by Mode:         Dimmer       Shuter       Pan         Red       Green       Ur         Shuter       Blue       Channel         Blue       Channel       LTP         Whte       Ur       Soutiers	
Tit       Colour       Col Mac Spd         200m       200m/Focus       200m/         Red       Gobo       0         Blue       Gobo Function       0         Pa Pan       Effect /Yellow       Blue         Pri Tit       Com       Cyan/Magenta         Red       Com       0         Pa Pan       Cyan/Magenta       Red         Com       Com       0         Pan       Ur       0         Shuter       Blue       Channel       LTP         Whte       Ur       Sonstiges       0	
Zoom     Colour     Col Mac Spd       Dimmer     Zoom/Focus     Zoom       Red     Gobo     Gobo       Blue     Gobo Function       To Dimmer     Speed       PT Speed     PT Speed       Prit     Cyan/Magenta       Red     Gre       Dimmer     Filter by Mode:       Dimmer     Ur       Shuter     Pan       Blue     Green       Blue     Channel       LTP     Nuter	
Red     Green       Green     Gobo       Blue     Gobo Function       TOMX     Speed       P/T Speed     Some       P/T Speed     Cyan/Magenta       Red     Green       Dimmer     Filter by Mode:       Dimmer     Green       Blue     Green       Green     Green       Blue     Cyan/Magenta       Red     Green       Green     Channel       Ur     Sonstiges       Channel     LTP       Whte     False	
Red     Gobo       Green     Gobo Function       Blue     Gobo Function       Paper     Speed       Paper     Fifect /Yellow       Paper     Effect /Yellow       Paper     Cyan/Magenta       Red     Green       Shutter     Filter by Mode:       Blue     Green       Blue     Channel       LTP     Inverted	
Gobo       Blue       Blue       Gobo Function       Speed       P/T Speed       P/T Speed       Cyan/Magenta       Red       Dimmer       Shuter       Red       Blue       Shuter       Blue       Shuter       Blue       Creation       Shuter       Blue       Channel       LTP       Whte	
Good Function Speed P/T Speed Sor Par Tit P/T Speed P/T Speed Sor Effect /Yellow Blue Cyan/Magenta Red Gree Filter by Mode: DMX Pan Ur Sonstiges Channel LTP Inverted False	
Speed     P/T Speed     Sore       Par Pan     Effect /Yellow     Blue       P/T Speed     Cyan/Magenta     Red       Pan     Ur	
P/T Speed     Cyan/Magenta     Red     Grad       Immer	ind
Tit     Cyan/Magenta     Red     Gree	
Zoom     Immer	e
Immer	en
Shutter     Pan     Ur       Red     Variation     Ur       Green     Variation     Channel       Blue     Channel     LTP       Whte     Inverted     False	ae 1
Red Pan Ur Green V Sonstiges Channel LTP A	
Green     Sonstiges     Channel     LTP     Whte     Inverted     False	assigned
Channel LTP Au	ulter
Inverted False	to
ninetico i cielo	iour Macro ntrol
Attribute Pan	
Colour Macro	
Col Mac Spd V Properties DMX Values Channes Wheel Mapping Up	lues Cels
Tropologe print tables chained Wheel Mapping Colo	

My scratchpad:

- get the latest d4 file, check at http://personalities.avolites.com - you might already check which modes are in the fixture -> cells are not supported by r20 files/classic consoles - open in personality builder - check the modes you want to use as r20 (each mode gets its own file) - for the Equinox Fusion 260ZR the Cell mode and the 25 DMX mode (which uses the cells) cannot be used as r20 - for the usable modes:

- check that a distinct Classic Pearl Reference is set (11 characters, no spaces PLEQFU2602, PLEQFU2608, PLEQFU2617
- 2. when exporting the filename is created from the Classic Pearl Reference but is limited to 8 characters. Thus, 8 char references are preferable here: EQFU2602, EQFU2608, EQFU2617
- 3. check wheel mapping for the modes you need, tab 'Classic Pearl' all attributes mapped, nothing unassigned and nothing red
- 4. \_\_\_\_\_

#### Question

The channels assigned to wheels in this mode only utilise part of the DMX range.

Note: Visualiser will require complete range to work correctly.

Adjust limits to match?

	7/10/21.11
Ja Ne	in
1	not necessarily but recommended to fix this. Here
±.	1. Shutter (change Open to 1~15)
2.	Auto (change No Effect to 0~15)
	Colour Macro (change Open to 1~15)
	Colour Macro (change Safe to 1~127)
1.	
Quest	tion

The attribute, Control, is not included in this mode but is in the macro Reset.

Write macro anyway?

Ja Nein

No!

- from the second mode on make sure you give the correct filename

prolight\_equinox\_fusion\_260zr.d4 eqfu2602.r20 eqfu2608.r20 eqfu2617.r20

From: https://avosupport.de/wiki/ - **AVOSUPPORT** 

Last update: 2022/05/27 14:33

Permanent link: https://avosupport.de/wiki/personality/create\_r20\_from\_d4?rev=1653662022

