

Currently to do

This is just a scratchpad of what to do next in this wiki - feel free to register and contribute.

Missing articles

| # | ID | Links |
|----|--|-------------------------------------|
| 1 | tag:playback | 25 : Show backlinks |
| 2 | tag:release | 13 : Show backlinks |
| 3 | tag:time | 13 : Show backlinks |
| 4 | tag:cuelist | 12 : Show backlinks |
| 5 | tag:group | 11 : Show backlinks |
| 6 | tag:handle | 11 : Show backlinks |
| 7 | tag:page | 11 : Show backlinks |
| 8 | tag:toggle | 11 : Show backlinks |
| 9 | tag:chase | 10 : Show backlinks |
| 10 | tag:master | 10 : Show backlinks |
| 11 | tag:palette | 10 : Show backlinks |
| 12 | tag:cue | 9 : Show backlinks |
| 13 | tag:set | 9 : Show backlinks |
| 14 | tag:fire | 8 : Show backlinks |
| 15 | tag:legend | 8 : Show backlinks |
| 16 | tag:timecode | 8 : Show backlinks |
| 17 | tag:blind | 7 : Show backlinks |
| 18 | tag:change | 7 : Show backlinks |
| 19 | tag:bpm | 6 : Show backlinks |
| 20 | tag:flash | 6 : Show backlinks |
| 21 | tag:speed | 6 : Show backlinks |
| 22 | tag:artnet | 5 : Show backlinks |
| 23 | tag:capture | 5 : Show backlinks |
| 24 | tag:fade-in | 5 : Show backlinks |
| 25 | tag:macro | 5 : Show backlinks |
| 26 | tag:midi | 5 : Show backlinks |
| 27 | tag:selected | 5 : Show backlinks |
| 28 | tag:settings | 5 : Show backlinks |
| 29 | tag:shape | 5 : Show backlinks |
| 30 | macros:control_structures:menulink | 4 : Show backlinks |
| 31 | tag:active | 4 : Show backlinks |
| 32 | tag:attribute | 4 : Show backlinks |
| 33 | tag:clear | 4 : Show backlinks |
| 34 | tag:colour | 4 : Show backlinks |
| 35 | tag:create | 4 : Show backlinks |
| 36 | tag:delete | 4 : Show backlinks |
| 37 | tag:direction | 4 : Show backlinks |

| | | |
|----|--|------------------------------------|
| 38 | tag:fan | 4 : Show backlinks |
| 39 | tag:fixtures | 4 : Show backlinks |
| 40 | tag:go | 4 : Show backlinks |
| 41 | tag:priority | 4 : Show backlinks |
| 42 | tag:programmer | 4 : Show backlinks |
| 43 | tag:select | 4 : Show backlinks |
| 44 | tag:track | 4 : Show backlinks |
| 45 | tag:trigger | 4 : Show backlinks |
| 46 | personality:attribute_id | 3 : Show backlinks |
| 47 | tag:3d | 3 : Show backlinks |
| 48 | tag:add | 3 : Show backlinks |
| 49 | tag:binding | 3 : Show backlinks |
| 50 | tag:busking | 3 : Show backlinks |
| 51 | tag:connect | 3 : Show backlinks |
| 52 | tag:converter | 3 : Show backlinks |
| 53 | tag:copy | 3 : Show backlinks |
| 54 | tag:disable | 3 : Show backlinks |
| 55 | tag:enable | 3 : Show backlinks |
| 56 | tag:fixture | 3 : Show backlinks |
| 57 | tag:freeze | 3 : Show backlinks |
| 58 | tag:moving | 3 : Show backlinks |
| 59 | tag:output | 3 : Show backlinks |
| 60 | tag:overlap | 3 : Show backlinks |
| 61 | tag:park | 3 : Show backlinks |
| 62 | tag:record | 3 : Show backlinks |
| 63 | tag:search | 3 : Show backlinks |
| 64 | tag:setlist | 3 : Show backlinks |
| 65 | tag:showlibrary | 3 : Show backlinks |
| 66 | tag:start | 3 : Show backlinks |
| 67 | tag:store | 3 : Show backlinks |
| 68 | tag:tap | 3 : Show backlinks |
| 69 | tag:timeline | 3 : Show backlinks |
| 70 | tag>window | 3 : Show backlinks |
| 71 | tag:workspace | 3 : Show backlinks |
| 72 | external:midi_feedback | 2 : Show backlinks |
| 73 | external:midi_notes_and_cc | 2 : Show backlinks |
| 74 | macros:function:programmer.editor.fixtures.incrementdimmer | 2 : Show backlinks |
| 75 | macros:identifier:macroid | 2 : Show backlinks |
| 76 | macros:property:palette.numeric.inputvalue | 2 : Show backlinks |
| 77 | macros:syntax:referringmacros | 2 : Show backlinks |
| 78 | macros:type:acwframerate | 2 : Show backlinks |
| 79 | personality:compatibility_attributes | 2 : Show backlinks |
| 80 | tag:atmosphere | 2 : Show backlinks |
| 81 | tag:autoload | 2 : Show backlinks |
| 82 | tag:combine | 2 : Show backlinks |
| 83 | tag:condition | 2 : Show backlinks |

| | | |
|-----|---|------------------------------------|
| 84 | tag:curve | 2 : Show backlinks |
| 85 | tag:custom | 2 : Show backlinks |
| 86 | tag:dimmer | 2 : Show backlinks |
| 87 | tag:double | 2 : Show backlinks |
| 88 | tag:dummy | 2 : Show backlinks |
| 89 | tag:halo | 2 : Show backlinks |
| 90 | tag:icon | 2 : Show backlinks |
| 91 | tag:import | 2 : Show backlinks |
| 92 | tag:inhibit | 2 : Show backlinks |
| 93 | tag:invert | 2 : Show backlinks |
| 94 | tag:javascript | 2 : Show backlinks |
| 95 | tag:level | 2 : Show backlinks |
| 96 | tag:live | 2 : Show backlinks |
| 97 | tag:location | 2 : Show backlinks |
| 98 | tag:lock | 2 : Show backlinks |
| 99 | tag:mask | 2 : Show backlinks |
| 100 | tag:matrix | 2 : Show backlinks |
| 101 | tag:mobile | 2 : Show backlinks |
| 102 | tag:next | 2 : Show backlinks |
| 103 | tag:off | 2 : Show backlinks |
| 104 | tag:on | 2 : Show backlinks |
| 105 | tag:patch | 2 : Show backlinks |
| 106 | tag:playbacks | 2 : Show backlinks |
| 107 | tag:profile | 2 : Show backlinks |
| 108 | tag:prompt | 2 : Show backlinks |
| 109 | tag:quick | 2 : Show backlinks |
| 110 | tag:replace | 2 : Show backlinks |
| 111 | tag:reset | 2 : Show backlinks |
| 112 | tag:reverse | 2 : Show backlinks |
| 113 | tag:sculpture | 2 : Show backlinks |
| 114 | tag:shapes | 2 : Show backlinks |
| 115 | tag:source | 2 : Show backlinks |
| 116 | tag:stagepatch | 2 : Show backlinks |
| 117 | tag:stop | 2 : Show backlinks |
| 118 | tag:text | 2 : Show backlinks |
| 119 | tag:user | 2 : Show backlinks |
| 120 | tag:usernumber | 2 : Show backlinks |
| 121 | tag:visualise | 2 : Show backlinks |
| 122 | tag:wing | 2 : Show backlinks |
| 123 | ai:modules:display:aioutputrenderer | 1 : Show backlinks |
| 124 | ai:modules:display:video_out | 1 : Show backlinks |
| 125 | external:midi_show_control | 1 : Show backlinks |
| 126 | luminex:ma3-net | 1 : Show backlinks |
| 127 | luminex:sacn | 1 : Show backlinks |
| 128 | macros:control_structures:start_end | 1 : Show backlinks |
| 129 | macros:control_structures:start_end | 1 : Show backlinks |

| | | |
|-----|--|------------------------------------|
| 130 | macros:converter:math.enumsasstringequalityconverter | 1 : Show backlinks |
| 131 | macros:example:level_notation | 1 : Show backlinks |
| 132 | macros:function:chases.play | 1 : Show backlinks |
| 133 | macros:function:colour.applycolourfilterbyindex | 1 : Show backlinks |
| 134 | macros:function:editor.timelines.setcontexttimeline | 1 : Show backlinks |
| 135 | macros:function:fixtures.patch.freezefixtures | 1 : Show backlinks |
| 136 | macros:function:lockmode.lockconsole | 1 : Show backlinks |
| 137 | macros:function:menu.exitrootorlatched | 1 : Show backlinks |
| 138 | macros:function:playbacks.clearflashtimedplayback | 1 : Show backlinks |
| 139 | macros:function:playbacks.editor.autoload.add | 1 : Show backlinks |
| 140 | macros:function:playbacks.editor.autoload.remove | 1 : Show backlinks |
| 141 | macros:function:playbacks.editor.autoload.setplaybackautoload | 1 : Show backlinks |
| 142 | macros:function:playbacks.editor.cueselection.clear | 1 : Show backlinks |
| 143 | macros:function:playbacks.editor.selectcuefromviewing | 1 : Show backlinks |
| 144 | macros:function:playbacks.flashtimedplayback | 1 : Show backlinks |
| 145 | macros:function:programmer.editor.fixtures.setcontrolvaluebyname | 1 : Show backlinks |
| 146 | macros:function:programmer.editor.fixtures.setselectedcontrolsfrozen | 1 : Show backlinks |
| 147 | macros:function:timecode.asobservable | 1 : Show backlinks |
| 148 | macros:namespace:fixtures | 1 : Show backlinks |
| 149 | macros:namespace:timelines | 1 : Show backlinks |
| 150 | macros:property:custom | 1 : Show backlinks |
| 151 | macros:property:handleoptions.playbacks.priority | 1 : Show backlinks |
| 152 | macros:property:handles.colours.changepage | 1 : Show backlinks |
| 153 | macros:property:handles.colours.page.index | 1 : Show backlinks |
| 154 | macros:property:handles.macros.page.index | 1 : Show backlinks |
| 155 | macros:property:handles.playbacks.page.displayindex | 1 : Show backlinks |
| 156 | macros:property:handles.playbacks.page.displayname | 1 : Show backlinks |
| 157 | macros:property:handles.playbackwindow.changepage | 1 : Show backlinks |
| 158 | macros:property:playbacks.editor.times.cuefadeouttime | 1 : Show backlinks |
| 159 | macros:property:playbacks.editor.times.cuespeedmultiplier | 1 : Show backlinks |
| 160 | macros:property:timecode.timecodeone.livetime | 1 : Show backlinks |
| 161 | macros:syntax:codeblocks | 1 : Show backlinks |
| 162 | macros:syntax:customvariables | 1 : Show backlinks |
| 163 | macros:syntax:start_end | 1 : Show backlinks |
| 164 | macros:type:menuitem | 1 : Show backlinks |
| 165 | macros:type:object:selection | 1 : Show backlinks |
| 166 | macros:variables | 1 : Show backlinks |
| 167 | personality:attribute_function | 1 : Show backlinks |
| 168 | personality:attribute_group | 1 : Show backlinks |
| 169 | tag:alert | 1 : Show backlinks |
| 170 | tag:align | 1 : Show backlinks |
| 171 | tag:all | 1 : Show backlinks |
| 172 | tag:ambient | 1 : Show backlinks |
| 173 | tag:application | 1 : Show backlinks |
| 174 | tag:audio | 1 : Show backlinks |
| 175 | tag:blocks | 1 : Show backlinks |

| | | |
|-----|---------------------------------|------------------------------------|
| 176 | tag:bloom | 1 : Show backlinks |
| 177 | tag:camera | 1 : Show backlinks |
| 178 | tag:cast | 1 : Show backlinks |
| 179 | tag:circle | 1 : Show backlinks |
| 180 | tag:colours | 1 : Show backlinks |
| 181 | tag:command | 1 : Show backlinks |
| 182 | tag:context | 1 : Show backlinks |
| 183 | tag:controlname | 1 : Show backlinks |
| 184 | tag:craft | 1 : Show backlinks |
| 185 | tag:csv | 1 : Show backlinks |
| 186 | tag:current | 1 : Show backlinks |
| 187 | tag:debug | 1 : Show backlinks |
| 188 | tag:diagnostic | 1 : Show backlinks |
| 189 | tag:display | 1 : Show backlinks |
| 190 | tag:dj | 1 : Show backlinks |
| 191 | tag:dmx | 1 : Show backlinks |
| 192 | tag:editor | 1 : Show backlinks |
| 193 | tag:error | 1 : Show backlinks |
| 194 | tag:ethernet | 1 : Show backlinks |
| 195 | tag:example | 1 : Show backlinks |
| 196 | tag:export | 1 : Show backlinks |
| 197 | tag:exposure | 1 : Show backlinks |
| 198 | tag:external | 1 : Show backlinks |
| 199 | tag:fade | 1 : Show backlinks |
| 200 | tag:fade-out | 1 : Show backlinks |
| 201 | tag:fademode | 1 : Show backlinks |
| 202 | tag:fadetime | 1 : Show backlinks |
| 203 | tag:first | 1 : Show backlinks |
| 204 | tag:fx | 1 : Show backlinks |
| 205 | tag:generated | 1 : Show backlinks |
| 206 | tag:get | 1 : Show backlinks |
| 207 | tag:go_back | 1 : Show backlinks |
| 208 | tag:goontarget | 1 : Show backlinks |
| 209 | tag:grandmaster | 1 : Show backlinks |
| 210 | tag:groupmaster | 1 : Show backlinks |
| 211 | tag:groups | 1 : Show backlinks |
| 212 | tag:half | 1 : Show backlinks |
| 213 | tag:halve | 1 : Show backlinks |
| 214 | tag:handles | 1 : Show backlinks |
| 215 | tag:haze | 1 : Show backlinks |
| 216 | tag:highlight | 1 : Show backlinks |
| 217 | tag:id | 1 : Show backlinks |
| 218 | tag:ienumerable | 1 : Show backlinks |
| 219 | tag:include | 1 : Show backlinks |
| 220 | tag:insert | 1 : Show backlinks |
| 221 | tag:json | 1 : Show backlinks |

| | | |
|-----|-----------------------------------|------------------------------------|
| 222 | tag:keyframe | 1 : Show backlinks |
| 223 | tag:layer | 1 : Show backlinks |
| 224 | tag:lee | 1 : Show backlinks |
| 225 | tag:lighting | 1 : Show backlinks |
| 226 | tag:macroid | 1 : Show backlinks |
| 227 | tag:map | 1 : Show backlinks |
| 228 | tag:mapping | 1 : Show backlinks |
| 229 | tag:marker | 1 : Show backlinks |
| 230 | tag:message | 1 : Show backlinks |
| 231 | tag:mmc | 1 : Show backlinks |
| 232 | tag:model | 1 : Show backlinks |
| 233 | tag:modular | 1 : Show backlinks |
| 234 | tag:move | 1 : Show backlinks |
| 235 | tag:msc | 1 : Show backlinks |
| 236 | tag:multiple | 1 : Show backlinks |
| 237 | tag:multiplier | 1 : Show backlinks |
| 238 | tag:name | 1 : Show backlinks |
| 239 | tag:nested | 1 : Show backlinks |
| 240 | tag:never_hold | 1 : Show backlinks |
| 241 | tag:new | 1 : Show backlinks |
| 242 | tag:nonexistent | 1 : Show backlinks |
| 243 | tag:note | 1 : Show backlinks |
| 244 | tag:nudge | 1 : Show backlinks |
| 245 | tag:obj | 1 : Show backlinks |
| 246 | tag:offset | 1 : Show backlinks |
| 247 | tag:open | 1 : Show backlinks |
| 248 | tag:option | 1 : Show backlinks |
| 249 | tag:pagename | 1 : Show backlinks |
| 250 | tag:part | 1 : Show backlinks |
| 251 | tag:parts | 1 : Show backlinks |
| 252 | tag:pause | 1 : Show backlinks |
| 253 | tag:php | 1 : Show backlinks |
| 254 | tag:pioneer | 1 : Show backlinks |
| 255 | tag:play | 1 : Show backlinks |
| 256 | tag:playbackgroup | 1 : Show backlinks |
| 257 | tag:position | 1 : Show backlinks |
| 258 | tag:preset | 1 : Show backlinks |
| 259 | tag:quaternion | 1 : Show backlinks |
| 260 | tag:quickcreate | 1 : Show backlinks |
| 261 | tag:quicksketch | 1 : Show backlinks |
| 262 | tag:random | 1 : Show backlinks |
| 263 | tag:range | 1 : Show backlinks |
| 264 | tag:rate | 1 : Show backlinks |
| 265 | tag:recall | 1 : Show backlinks |
| 266 | tag:recorded | 1 : Show backlinks |
| 267 | tag:region | 1 : Show backlinks |

| | | |
|-----|----------------------------------|------------------------------------|
| 268 | tag:remote | 1 : Show backlinks |
| 269 | tag:remove | 1 : Show backlinks |
| 270 | tag:render | 1 : Show backlinks |
| 271 | tag:rendering | 1 : Show backlinks |
| 272 | tag:repatch | 1 : Show backlinks |
| 273 | tag:restart | 1 : Show backlinks |
| 274 | tag:restore | 1 : Show backlinks |
| 275 | tag:rgb | 1 : Show backlinks |
| 276 | tag:sacn | 1 : Show backlinks |
| 277 | tag:screen | 1 : Show backlinks |
| 278 | tag:segment | 1 : Show backlinks |
| 279 | tag:selection | 1 : Show backlinks |
| 280 | tag:send | 1 : Show backlinks |
| 281 | tag:setting | 1 : Show backlinks |
| 282 | tag:setup | 1 : Show backlinks |
| 283 | tag:show | 1 : Show backlinks |
| 284 | tag:shutdown | 1 : Show backlinks |
| 285 | tag:simple | 1 : Show backlinks |
| 286 | tag:simulate | 1 : Show backlinks |
| 287 | tag:size | 1 : Show backlinks |
| 288 | tag:skip | 1 : Show backlinks |
| 289 | tag:spill | 1 : Show backlinks |
| 290 | tag:spread | 1 : Show backlinks |
| 291 | tag:state | 1 : Show backlinks |
| 292 | tag:step | 1 : Show backlinks |
| 293 | tag:stopwatch | 1 : Show backlinks |
| 294 | tag:subpatch | 1 : Show backlinks |
| 295 | tag:swop | 1 : Show backlinks |
| 296 | tag:syntax | 1 : Show backlinks |
| 297 | tag:tempo | 1 : Show backlinks |
| 298 | tag:temporarily | 1 : Show backlinks |
| 299 | tag:texture | 1 : Show backlinks |
| 300 | tag:timed | 1 : Show backlinks |
| 301 | tag:trick | 1 : Show backlinks |
| 302 | tag:triggers | 1 : Show backlinks |
| 303 | tag:tweet | 1 : Show backlinks |
| 304 | tag:unfreeze | 1 : Show backlinks |
| 305 | tag:uninvert | 1 : Show backlinks |
| 306 | tag:user_setting | 1 : Show backlinks |
| 307 | tag:usermacro | 1 : Show backlinks |
| 308 | tag:uv-map | 1 : Show backlinks |
| 309 | tag:variable | 1 : Show backlinks |
| 310 | tag:visualiser | 1 : Show backlinks |
| 311 | tag:webapi | 1 : Show backlinks |
| 312 | tag:wheel | 1 : Show backlinks |
| 313 | tag:wheelmode | 1 : Show backlinks |

| | | |
|-----|--|------------------------------------|
| 314 | tag:wheels | 1 : Show backlinks |
| 315 | tag:winamp | 1 : Show backlinks |
| 316 | tag:winch | 1 : Show backlinks |
| 317 | tag:windows | 1 : Show backlinks |
| 318 | tag:wordwrap | 1 : Show backlinks |
| 319 | tag:x-fade | 1 : Show backlinks |
| 320 | tag:xfade | 1 : Show backlinks |
| 321 | webapi:boolean | 1 : Show backlinks |
| 322 | webapi:requests:actionscrip_tsetproperty_string | 1 : Show backlinks |
| 323 | webapi:requests:handles_playbacks | 1 : Show backlinks |
| 324 | webapi:requests:handles_setlegend | 1 : Show backlinks |
| 325 | webapi:requests:handles_setsourcehandlefromhandle | 1 : Show backlinks |
| 326 | webapi:requests:macros:run | 1 : Show backlinks |
| 327 | webapi:requests:palette:numeric:inputvalue | 1 : Show backlinks |
| 328 | webapi:requests:playback | 1 : Show backlinks |
| 329 | webapi:requests:playback_x | 1 : Show backlinks |
| 330 | webapi:requests:playback_x_cue_y | 1 : Show backlinks |
| 331 | webapi:requests:playbacks_replaceplaybackcue | 1 : Show backlinks |
| 332 | webapi:requests:playbacks_storecue | 1 : Show backlinks |
| 333 | webapi:requests:programmer_editor_fixtures_setcontrolvaluebyname | 1 : Show backlinks |
| 334 | webapi:requests:selection_context_programmer_selectfixture | 1 : Show backlinks |
| 335 | webapi:requests:timecode.timecodeone.setstarttime | 1 : Show backlinks |

To Do

- elaborate on [wishlist](#)
- Write a little howto on the namespace structure in Ai
- Ai templates
- handle notation: chaseHandleUN, paletteHandleUN, cueHandleUN, playbackHandleUN, masterHandleID, trackHandleID, groupHandleUN, see also <http://forum.avolites.com/viewtopic.php?f=20&t=6196&p=22250#p22250>
- list more FixtureControlIDs ([FixtureControlId](#)), e.g. Shutter or Prism. They are in the show only if such a fixture is patched
- Gregory on casts inside code blocks and custom variables:
[gregory_codeblocks_cast.pdf](#)
- Gregory on filters/casts:
[20211222_gregory_filters.pdf](#)

complete articles

see above

Identifiers

See below for the planned structure of types, object types, identifiers

Identifiers

- Elaborate on identifiers.
- Examples
- Groups

MaskIds

see <http://forum.avolites.com/viewtopic.php?f=20&t=5936#p21411>

Menuitem

see [Off/On Attribute \(snippets\)](#)

not yet possible

- access Capture cameras, see <http://forum.avolites.com/viewtopic.php?f=20&t=5940>

all the tbd's

- [altering_macros_when_used_in_a_show](#)

questions

- how to display multiline messages in [Show a message prompt](#)
- what happens in [Playback - Fire/Release Playbacks from Usernumber](#) with multiple sequential steps, with release time - do they release simultaneously, or consecutively?

debugging macros

- empty if hive, see [Control Structures](#)

sACN triggers

- trigger a master (e.g. speed) in order to fade it over time
- trigger macros on single cues
- invert something (but why...)
- virtual Capture multipatch
- size master?

WebAPI

- Structure/sections

- example reset:
 - reset.zip
 - release playbacks groups and masters for a range of consoles
- Olie's templates: <https://github.com/owaits/avolites-webcomponents>
- elaborate on webassembly; Reaper Reader etc.
- WebAPI tied to UI on different port:

api_ui_port.pdf

- creating palettes and set legend:
 - webapi_palette.txt
- Gordon Clarke controlling Cuelists (Messenger 16.09.21)

```
http://localhost:4431/titan/script/2/Menu/InjectInput?type=OnButtonDown&id=GoBack&group=NoGroup&index=0
```

```
http://localhost:4431/titan/script/2/Macros/Run?macroId=Avolites.Macros.Go
```

```
http://localhost:4430/titan/script/2/Macros/Run?macroId=Avolites.Macros.GoBack
```

```
http://localhost:4430/titan/script/2/CueLists/Play?handle_userNumber=6
```

```
http://localhost:4430/titan/script/2/CueLists/GoBack?handle_userNumber=6
```

```
http://localhost:4431/titan/script/2/Menu/InjectInput?type=OnButtonDown&id=Go&group=NoGroup&index=0
```

- <https://bitbucket.org/mdengineering/titan-usittascii/src/master/>
- <https://github.com/owaits/avolites-patchImport>
- Gregory (28.02.24): set User Numer, incl. casting and syntax:
 - 20240228_gregory_webapi_setusernumber.pdf
- Gregory (15.04.24): set property, with more casting:
 - webapi_currentpalette.pdf

ASCII

MD (Mark Daniel's) Engineering's ASCII importer

- <http://forum.avolites.com/viewtopic.php?f=3&t=5171&p=18745#p18745>
- <https://bitbucket.org/mdengineering/titan-usittascii>

external control

- external control, example of rtpMidi:
 - <https://www.facebook.com/groups/Avolites/permalink/1784457491686477/>
- vVIMTC plugin for Reaper, see AdB, <https://forum.cockos.com/showthread.php?t=43606>,
 - vvimtc_generator.txt

this is supposedly also possible without a timecode track

- need to call ClearSelectionHighlights when moving, see
 - gregory_move_clearhighlights.pdf

examples

- check IDs and filenames of current examples

- handle range, emails 30.08./03.09., also link to <http://forum.avolites.com/viewtopic.php?f=20&t=5848&p=21193>
- fire macros by triggers (sACN console to itself), see <http://forum.avolites.com/viewtopic.php?f=20&t=5573#p21114>
- write some words regarding saving patches (in the ai:specifics section)
- Sammlung, siehe FB Florian Engelmohr 29.01.2019:
checkgroupexists.xml
- FB Florian Engelmohr, store palette:
1test2.xml
- check if handle is already in use, with casting:
<http://forum.avolites.com/viewtopic.php?f=20&t=5997#p21633>
- Macros Robin Lotze, email 07.03.19
- converters, see <http://forum.avolites.com/viewtopic.php?f=20&t=5962> (Math.EqualityConverter, Math.EnumAsStringEqualityConverter)
- CreateShape, see slack/Flo, 08.07.19
- select multiple fixtures with Selection.Context.Programmer.SelectFixtures("Fixtures", {1,2,3}), see <http://forum.avolites.com/viewtopic.php?f=20&t=6420>
- is SetLevel limited to already fired playbacks like Fraser thinks?
https://www.facebook.com/groups/1811437589141428/permalink/2695092050775973/?comment_id=2695129944105517&reply_comment_id=2695143527437492
- flash Pb and Groups, see email Andreas Buhr 08.07.20
- MIDI feedback, see <http://forum.avolites.com/viewtopic.php?f=3&p=22925#p22925>

Forum done until 01.03.19

setting timecode via WebAPI doesn't need a TimecodeTime object:

```
http://localhost:4430/titan/script/2/Timecode/TimecodeOne/SetStartTime?time=05:04:03:02
```

see <https://www.facebook.com/groups/1811437589141428/posts/3157429167875590/>

Timecode.TimecodeOne.SetStartTime and TimecodeTime object, see <http://forum.avolites.com/viewtopic.php?f=20&t=6298>

(Gregory, 27.08.2018)

Unfortunately no I don't think there is any way to tell for sure. However generally older parts of the software such as Handles and Palettes will require function calls whereas newer or rewritten code such as Edit Times, Playback Options, Timecode and Capture settings will normally respond directly to the property changes. This is mainly because the latter was not always possible and we don't generally rewrite working code unless there is a need to as this runs the risk of introducing bugs.

is there a way to tell whether setting a property is enough (like in ActionScript.SetProperty("Playbacks.Editor.Times.PlaybackReleaseTime", time:0)) or both must be done (property set AND function applied, like with lockState)?

Gregory, Email 11.12.19 re. new variables: automatic definition of variables:

gregory_variables.pdf

Toggle Trigger Mappings in v12, see

<https://www.facebook.com/groups/Avolites/permalink/1766567636808796/> and
<http://forum.avolites.com/viewtopic.php?f=3&t=6337>, and

toggletriggermappings.xml

However this start/end thing prevents macros to load in versions pre 14

Example for version checking, syntax of nested quotes etc.

```
<macro name="Set PB 903 legend" id="Macros.SetPB903Legend">
  <description></description>
  <sequence>
    <step>Handles.SetSourceHandleFromHandle("playbackHandleUN=903")</step>
    <step condition="Math.String.StartsWith(System.SoftwareVersion,
'13')">{
      ActionScript.SetProperty("Handles.PendingLegend", "This is v13");
      Handles.SetLegend();
      Handles.ClearSelection();
    }</step>
  </sequence>
</macro>
```

Example for reversing, offsetting and restarting shapes (Matias Muccillo), see
<https://www.facebook.com/groups/Avolites/permalink/1799612296837663/>

mm-symmetrical-shape.xml

Elaborate on trigger software usage on [Software List](#), e.g. Show Cockpit from
https://www.facebook.com/groups/Avolites/?post_id=1830168723782020&comment_id=1830316103767282

matias Mucillos setup macro:

mm_store_playback_test.xml

new way of writing conditions, use of variable, cast doesn't work inside clock - see Gregory's mail of
21.04.2021 and

setfadein.zip

(this is a further development from [Playback - Set fade-in time](#))

set halo colour, see Gregory's email 07.01.19:

```
<sequence>
  <step>Handles.SetSourceHandleFromHandle("chaseHandleUN=22")</step>
  <step>ActionScript.SetProperty("Handles.PendingHalo",
colour:"#ffff0000")</step>
  <step>Handles.SetHalo()</step>
  <step>Handles.ClearSelection()</step>
</sequence>
```

link macro to cuelist cue, Sebastiaan Groen (Messenger 02.06.21)

```
<sequence>
  <step>ActionScript.SetProperty("Playbacks.Editor.SelectedPlayback",
  handle:"Location=Playbacks,1,1")</step>
<step>Playbacks.Editor.CueSelection.SelectCueByNumber(handle:"Location=Playb
acks,1,1", 1)</step>
<step>Playbacks.Editor.Macros.AddLinkFromId("Avolites.Macros.OpenWorkspaceWi
ndow")</step> <!--example Macro-->
</sequence>
```

additionally add/remove macros as per Roger Piqué (messenger 14.04.22):

roger_addmacro.xml

selection by pattern which is always done through RunCommand, see [Quick-Create groups](#)
additionally Gregory's comment, email 10.06.21:

It won't make much difference but in principle you could select the group and set the pattern in one command e.g. Command.RunCommand("GROUP 1 PATTERN 1.1"). The function used when holding down a group is slightly different
Command.RunGroupCommand(Group.CurrentGroupUserNumber, "PATTERN 1.1") which ends up running the same command string as above but changes an option for how the group is toggled. From what I can tell the difference is that RunGroupCommand will deselect fixtures if they are already selected but the normal command will always add to the select and never remove. Even though the factory macro sets the Selection.Context.Global.RepeatPattern property it does not look like the software normally does this and will therefore leave it as the user has last set it.

select handle to set options:

select_handle_for_setting_options.pdf

all user settings:

missing_settings.xml

settings_neu.xml

set timeline cursor position:

```
ActionScript.SetProperty("Editor.Timelines.ContextTimeline.CursorPosition",
Timecode.AsObservable(Timecode.MakeTimecodeTime(1, 00, 00, 00, false, 100)))
```

(messenger Roger Pique 06.04.22)

[Gregory Haynes on time objects and timeline functions:](#)

gregory_timeline.pdf

first timeline examples:

```
<?xml version="1.0" encoding="utf-8"?>
```

```

<avolites.macros>

  <!-- play/pause by usernumber 1 -->
  <macro id="Avolites.Macros.Timeline1.Play" name="Play Timeline 1">
    <sequence>
      <step>Timelines.PlayTimeline(userNumber:1)</step>
    </sequence>
  </macro>
  <macro id="Avolites.Macros.Timeline1.Pause" name="Pause Timeline 1">
    <sequence>
      <step>Timelines.PauseTimeline(userNumber:1)</step>
    </sequence>
  </macro>

  <!-- play/pause by location - playbacks page 1 slot 1 -->
  <macro id="Avolites.Macros.TimelinePB1.1.Play" name="Play Timeline PB 1.1">
    <sequence>
      <step>Timelines.PlayTimeline("Location=Playbacks,1,1")</step>
    </sequence>
  </macro>
  <macro id="Avolites.Macros.TimelinePB1.1.Pause" name="Pause Timeline PB 1.1">
    <sequence>
      <step>Timelines.PauseTimeline("Location=Playbacks,1,1")</step>
    </sequence>
  </macro>

</avolites.macros>

```

Gregory (21.07.22): Off Palette Groups:

offpalettegroup.xml

Gregory (15.08.22): no numbers in property names

gregory_no_numbers_in_property_names.pdf

Gregory (13.01.23): invert selected fixtures

gregory_toggleinvert.pdf

<http://forum.avolites.com/viewtopic.php?f=20&p=24490>:

I didn't find a way to retrieve the usernumber of the current layout. But if you can live with using the legends (Layout 1, Layout 2 etc. - or you change the coverterParameter accordingly) then this would work:

```

<macro id="Avolites.Macros.SelectLayout_2" name="Select layout UN 2">
  <active binding="{propertyLink id='Editor.Layouts.ContextLayout.Legend'
converter='Math.EqualityConverter' converterParameter='Layout 2'}"/>
  <sequence>

```

```
<step>Editor.Layouts.SetContextLayoutFromUserNumber(2)</step>
</sequence>
</macro>
```

timeline macros, see

timelinemacros.xml

(14.02.24)

20240407

from facebook: create cuelist and write timecode

createCuelistWithTc.xml

```
<?xml version="1.0" encoding="utf-8"?>

<!-- see
https://www.facebook.com/groups/Avolites/posts/3064252807040266/ -->

<avolites.macros>
  <macro id="UserMacro.CreateCueList4">
    <name>A14Create Cuelist</name>
    <sequence>
      <step>Playbacks.CueList.CreateCueList("Playbacks", 0)</step>
      <step>Playbacks.Select.EditHandle("Location=Playbacks,1,0")</step>
      <step>Handles.SetSourceHandle("Playbacks", 0)</step>
      <step>Playbacks.Timecode.ToggleEnabled.Handle(Handles.SourceHandle)</step>
      <step>Handles.SetSourceHandleFromHandle(null)</step>
      <step>Playbacks.AppendOrInsertPlaybackCue(Playbacks.PlaybackEdit.Handle,1)</step>
      <step>Playbacks.SetCueLegend(Playbacks.PlaybackEdit.Handle,1,
"Song Start")</step>
      <!-- Fails
<step>ActionScript.SetProperty("Playbacks.Editor.Timecode.CueTimecodeDi
sabled",Disabled)</step> -->
      <step>Timecode.SetCueTimecodeWithCueNumber(
        Playbacks.PlaybackEdit.Handle,1.0,Timecode.MakeTimecodeTime(1,
00, 00, 00, false, 100)
      )</step>
      <step>Playbacks.PlaybackEdit.Exit()</step>
    </sequence>
  </macro>

  <!-- added set timecode source -->
  <!-- explanation:
  (1) In order to set a playback's options you still need to have it
set as SourceHandle,
  hence I commented the line where you nullify this (you may want
```

```

to do this later...)
  (2) In order to set a playback's options you need to call
  FilterHandleOptions()
  (3) My favourite errors in the API documentation: this is an Enum,
  and valid options are
      Timecode1Id, Timecode2Id etc., and to set such enums you need
  to apply some doublequotes:
      the correct line reads
<step>ActionScript.SetProperty.Enum("HandleOptions.CueLists.TimecodeSou
rce", "Timecode3Id")</step>
  -->

<macro id="UserMacro.CreateCueListSetSource">
  <name>Create Cuelist and Set TC Source</name>
  <sequence>
    <step>Playbacks.CueList.CreateCueList("Playbacks", 0)</step>
  <step>Playbacks.Select.EditHandle("Location=Playbacks,1,0")</step>
    <step>Handles.SetSourceHandle("Playbacks", 0)</step>
  <step>Playbacks.Timecode.ToggleEnabled.Handle(Handles.SourceHandle)</st
  ep>
    <!-- <step>Handles.SetSourceHandleFromHandle(null)</step> -->
  <step>Playbacks.AppendOrInsertPlaybackCue(Playbacks.PlaybackEdit.Handle
  ,1)</step>
    <step>Playbacks.SetCueLegend(Playbacks.PlaybackEdit.Handle,1,
  "Song Start")</step>
    <!-- Fails
  <step>ActionScript.SetProperty("Playbacks.Editor.Timecode.CueTimecodeDi
  sabled",Disabled)</step> -->
    <step>Timecode.SetCueTimecodeWithCueNumber(
      Playbacks.PlaybackEdit.Handle,1.0,Timecode.MakeTimecodeTime(1,
  00, 00, 20, false, 100)
    )</step>
    <step>Handles.FilterHandleOptions()</step>
  <step>ActionScript.SetProperty.Enum("HandleOptions.CueLists.TimecodeSou
  rce", "Timecode3Id")</step>
    <step>Playbacks.PlaybackEdit.Exit()</step>
  </sequence>
</macro>

</avolites.macros>

```

A similar question answered by Gregory, with further details:

createcuelist.pdf

Titan Tricks

- convert chase to list by syntax, see <https://www.facebook.com/groups/AvolitesTitanOne/permalink/1593613030774823/>
- use macro on single cue (with sACN triggers)

- create a group master on old software (with negative shape)
- create a size master on v9 (clock shape triggered with sACN and inverted curve)
- fade fx size/rate over time (in cue list, with a master being triggered by a virtual dimmer channel)
- make a pixel effect track (cuelist cue fires macro which toggles an external playback on/off)
- special cuelist (fader fires cue 1, go toggles between 2 and 3), see <https://www.facebook.com/groups/260735644292354/permalink/732708060428441>
- use clock as timer/stop watch, see <https://www.avolites.de/wiki/macros:example:timecodestartstop> and <https://www.facebook.com/groups/Avolites/permalink/1444431649022398/>
- Titan Ports, see [titan_ports.xlsx](#)
- set Fixture Library date to avoid Health Check:

Windows Registry Editor Version 5.00

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Avolites\Titan\Libraries]
"VersionDateTime"="2028-08-14 05:49:32"
```

- usage of task Scheduler to start other things automatically, see [tnp_task_scheduler.zip](#)

MIDI

- MSC, https://www.facebook.com/groups/Avolites/permalink/1713549732110587/?comment_id=1714066365392257
- MSC specification: <http://www.richmondsounddesign.com/docs/midi-show-control-specification.pdf>
- MMC, siehe Macros Olie (Email 03./05.12.19)
- MTC über Netzwerk?
- MIDI Output, Loopback: <https://www.facebook.com/groups/1811437589141428/permalink/2503806193237894/>

AI knowledge base

- d4mance/BC 2014
- d4mance/BC 2016
- patches from forum
- pictures on welcome pages/section headers
- how to make use of a patch on the performance page (Patch IO, texture port), and how to set its thumbnail
- Pip and Multi Screen projects
- Multiviewer (TH):
 - AI OUTPUTS
 - RenderToTexture
 - Sample Texture Region
 - Clear
 - Render Merge

- output/Window (off/on by Artnet)
- clock/countdown (SB/Arran)
- controlling from Q-Sys via UDP, text scroller (project A. Keil June 2020, with help from TH and CA)

Ai tricks and pitfalls

- renumbering fixtures
- no audio files on the performance page!
- how to enable tap tempo (tap widget, system settings, Beat settings per tile)
- antialiasing (double resolution, see movingscreens/email)
- what is saved where
- how to save and use clip collections
- how to create a project thumbnail
- wrong codec may even disturb playmodes
- MPEG Streamclip for transcoding
- MIDI trigger on the performance page requires MIDI notes - ControlChange doesn't work here

Is there a wiki plugin to show a number of random pages from the namespace, e.g. in Ai/Examples?

Types/Identifiers Hierarchy

identifiers (essentially this is the most common ways to identify particular items)

Clear mask: Intensity=1, Positions=2, Colours=4, Gobos=8, Beam=16, Effect = 32, Special = 64, FX = 128, Time = 256 also see AcwRecordMask?!?

See <http://api.avolites.com/11.0/Avolites.Acw.Titan.AcwRecordMask.html>

Discussion threads

| | | |
|--|-----------------------------------|----------------------------|
| Macro - Export Macro | 2025/04/28 07:16 | 2 Comments |
| Set All Shapes Direction | 2024/10/23 23:12 Sebastian Beutel | 1 Comment |
| Inhibit selected fixtures dimmer | 2023/02/28 12:25 Sebastian Beutel | 1 Comment |
| Set a Handle's Halo | 2021/05/29 18:08 Sebastian Beutel | 2 Comments |
| Delete Workspace X | 2018/06/12 13:05 Sebastian Beutel | 1 Comment |
| Timecode - Toggle On/Off for particular playback | 2017/11/20 16:39 Sebastian Beutel | 1 Comment |
| Playback - Set Paging to Never Hold | 2017/11/20 15:52 Sebastian Beutel | 1 Comment |
| MIDI Note On/Off | 2017/10/15 09:19 | 1 Comment |

From:
<https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:
<https://avosupport.de/wiki/todo?rev=1713950114>

Last update: **2024/04/24 09:15**



