2025/09/10 12:57 1/3 WebAPI over UDP

Titan Web-API

# WebAPI over UDP

By design, the Web API works with HTTP requests - and HTTP is bound to TCP (this is about network

protocols - if you don't know what these acronyms mean then this topic isn't interesting for you ). You may come across situations where you need to control Titan from UDP requests, e.g. when working with particular main control suites.

While it is not possible to simply fire the same request as UDP string onto Titan, it is very well possible to run a little program like socat, which - when started with proper parameters - forwards UDP strings as TCP requests. The only other thing is that you need to send a complete HTTP request string.

### 1. Get Socat

E.g. download it from

https://sourceforge.net/projects/unix-utils/files/socat/1.7.3.2/socat-1.7.3.2-1-x86 64.zip/download

### 2. Start Socat

Run Socat on the same computer like Titan, with proper parameters. In my example it worked when called like this in a console window:

```
socat udp4-listen:9090, reuseaddr TCP:192.168.178.59:4430
```

The parameters I used are

- udp4-listen: 9090 this tells socat to listen to UDP messages, on port 9090, in IPv4 protocol
- reuseaddr allows other sockets to bind to the same address (I found this helps avoiding some issues)
- TCP: 192.168.178.59:4430 this tells where and how socat forwards the messages to, in out case, as TCP requests, to the IP of the Titan PC (the same computer socat is running on), on port 4430 (the port Titan listens on)

When everything is setup properly then socat just sits there and does its job, without any visual feedback. However when debugging or looking for a particular issue it might help to start socat with some debug output, using the option -v

```
socat -v udp4-listen:9090, reuseaddr TCP:192.168.178.59:4430
```

This outputs the transferred data to you screen, and may help in finding possible faults.

You can also start socat with the hostname instead of the IP address, like this:

```
socat udp4-listen:9090, reuseaddr TCP:localhost:4430
```

In order to terminate socat simply use

## Ctrl-C


```
Eingabeaufforderung-socat udp4-listen:9090,reuseaddr TCP:192.168.178.59:4430

C:\Users\sb\Desktop\socat-1.7.3.2-1-x86_64>socat udp4-listen:9090,reuseaddr TCP:192.168.178.59:4430
```

# 3. Send full HTTP request strings over UDP

Now, as socat expects UDP messages and forwards them as TCP, and Titan expects full HTTP requests, we need to send full request strings. Otherwise there will be no result at all, or socat crashes. In my tests the a.m. option -v did help as it shows the reply from the Titan engine (here: Status 400 - Bad Request...).

In order to send some UDP messages, either use your control suite, or - for tests - use a tool like PacketSender (https://packetsender.com/).



The parameters to send as UDP are

- address: the IP address of the Titan computer (in my case 192.168.178.59)
- port: 9090 (the port which we told socat to listen to)
- · method: UDP
- ASCII string: this needs to be the full HTTP request string, starting with GET, containing the API request itself, the protocol, host/port, and must end with two linefeeds:

## **GET**

/titan/script/Playbacks/FirePlaybackAtLevel?userNumber=1&level=1&bool=false HTTP/1.1 $\r\$ 192.168.178.59:4430 $\r\$ 1

**Only for readability** here is the same string wrapped into lines (but you need to send it as one string):

#### **GET**

/titan/script/Playbacks/FirePlaybackAtLevel?userNumber=1&level=1&bool=false
HTTP/1.1\r\n

Host: 192.168.178.59:4430\r\n

https://avosupport.de/wiki/ Printed on 2025/09/10 12:57

### $\r\n$

- The first line starts with the HTML method (GET), and contains the API request (/titan/script/Playbacks/FirePlaybackAtLevel?userNumber=1&level=1&bool=false) and the protocol (HTTP/1.1)
- 2. The second line defines the Host (IP address and port) this is required to make it a valid HTTP1.1 request
- 3. The third line simply contains a linefeed (strictly the second linefeed after the one at the end of line 2), in order to mark the end of the request.

May this does not work for all Web API requests - but it is a starting point to make it available over UDP.

From:

https://avosupport.de/wiki/ - AVOSUPPORT

Permanent link:

https://avosupport.de/wiki/webapi/implementations/udp?rev=1738227409

Last update: 2025/01/30 08:56

