

Web API Parameter

Handle

“Handle” is the general term for something which is stored. There are handles for every item: for playbacks, palettes, workspaces, groups, fixtures and more. To get an impression what handles are in your show you might use [Titan IDs](#).

With regards to the Web API there are three ways to identify a handle:


- by usernumber - this is the number you set using Set Legend in Titan. In order to use this method denote the handle as
handle_userNumber=2
- by location - this is the 'place' where you find this item in the Titan UI, e.g. the 6th button on page 1 in the Fixtures and Playbackswindow. In order to use this method identify the handle as handle_location=Presets_1_6
 - 'Presets' is the handle group i.e. the workspace window “Fixtures and Playbacks”. See [Location](#) for the available groups
 - 1 is the page number (1-based)
 - 6 is the button number on that page (1-based)
 - all three parts are concatenated with underscores `_`. [Titan IDs](#) already gives the correct location string.
- by Titan ID. Everything in the show has a unique ID which is set by the system and cannot be changed by the user. You can get the Titan IDs of your show with [Titan IDs](#). There are some useful reserved IDs for masters, see [titanId](#). In order to use this method to identify a handle the notation is
handle_titanId=2335.

Example

Let's assume we want to kill a particular cuelist using [Playbacks/KillPlayback](#). The prototype for this is

```
http://[ip]:4430/titan/script/2/Playbacks/KillPlayback?handle={handle}
```

Given a show where a cuelist is recorded in the Fixtures and Playbacks window (group: Presets), page 1, button 6, and this cuelist (here: Cue List 2) has the user number 2:



Luckily Titan IDs already shows the Titan ID and the correct location (it's the "Computed Web API Location string").

Legend	Usenumber	Type	Titan ID	Location	Computed Web API Location string
Cue List 1	1	cueListHandle	2219	{"group":"Presets","index":0,"page":0}	Presets_1_1
Cue List 3	3	cueListHandle	2762	{"group":"Presets","index":2,"page":0}	Presets_1_3
RESET	4	cueHandle	2867	{"group":"Presets","index":4,"page":0}	Presets_1_5
Cue List 2	2	cueListHandle	2335	{"group":"Presets","index":5,"page":0}	Presets_1_6
Cue List 5	5	cueListHandle	2905	{"group":"RollerA","index":0,"page":0}	Playbacks_1_1
All Rich MH3 Beam	1	groupHandle	1949	{"group":"Groups","index":0,"page":0}	Groups_1_1

We can kill this cuelist by one of the following ways:

`http://localhost:4430/titan/script/2/Playbacks/KillPlayback?handle_userNumber=2` - by user number

`http://localhost:4430/titan/script/2/Playbacks/KillPlayback?handle_location=Presets_1_6` - by location

`http://localhost:4430/titan/script/2/Playbacks/KillPlayback?handle_titanId=2335` - by titan Id

It appears that Titan applies some guessing and interprets the handle as userNumber if no other type is defined. Hence,

`http://localhost:4430/titan/script/2/Playbacks/KillPlayback?handle=2` does also work.

Errors

Various errors may result from wrong or incomplete parameters:

`http://localhost:4430/titan/script/2/Playbacks/KillPlayback?handle=Presets_1_6` does not work and throws the error "Error: Failed to parse value to AcwUserNumber"

Reason: the part `_location` is missing, thus Titan tries to parse this as userNumber (default), and fails.

`http://localhost:4430/titan/script/2/Playbacks/KillPlayback?2` does not work and results in "Error: Der Objektverweis wurde nicht auf eine Objektinstanz festgelegt." (no object referenced)

Reason: the parameter name and parsing (`handle_userNumber`) and the equal sign is missing.

`http://localhost:4430/titan/script/2/Playbacks/KillPlayback?handle_titanId=23350` leads to "Error: Unable not find handle in group 'playbackHandle' with index

'23350' .\r\nParametername: handle”

Reason: the specified handle could not be found (there doesn't exist a handle in that location/with that titanId)

http://localhost:4430/titan/script/2/Playbacks/KillPlayback? throws
“Error: Die Sequenz enthält kein übereinstimmendes Element.” (no matching element in sequence)

Reason: the handle wasn't correctly specified or not specified at all

http://localhost:4430/titan/script/2/Playbacks/KillPlayback?handle_titanId=
gives

“Error: Die Eingabezeichenfolge hat das falsche Format.” (wrong format)

Reason: the parameter name and parsing was correctly set but no value given.

Used In

- [Parameters](#)
- [CueLists/NextStep](#)
- [CueLists/Play](#)
- [CueLists/SetNextCue](#)
- [Masters/ClearFlash](#)
- [Masters/DeadBlackOut](#)
- [Masters/Flash](#)
- [Masters/SetMaster](#)
- [Masters/SetSpeed](#)
- [Palette/ApplyPalette](#)
- [Playbacks/ClearFlashPlayback](#)
- [Playbacks/ClearSwopPlayback](#)
- [Playbacks/FirePlaybackAtLevel](#)
- [Playbacks/FlashPlayback](#)
- [Playbacks/KillPlayback](#)
- [Playbacks/SetPlaybackLevel](#)
- [Playbacks/SwopPlayback](#)

From:

<https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:

<https://avosupport.de/wiki/webapi/parameters/handle?rev=1587312217>

Last update: **2020/04/19 16:03**

