

Web API request

Group/SetGroupFaderLevel

Sets intensity of fixtures in the group based on fader level.

API	https://api.avolites.com/12.0/Group.SetGroupFaderLevel.html
namespace	Group
usage	<code>http://[ip]:4430/titan/script/2/Group/SetGroupFaderLevel?group={string}&index={titanId}&value={level}&accuracy={float}</code>
example	http://localhost:4430/titan/script/2/Group/SetGroupFaderLevel?group=Groups&index=0&value_level=0.7&accuracy=0 (link opens in new tab)
action	sets group master to 70%, of the group stored on the first button in the groups window page 1
parameter	group: the window or playback bank where the group is (also see Location), e.g. Groups or Playbacks index: Int32 , the 0-based index in that group value: Level , the new level of this group accuracy: Float , the accuracy.
returns	nothing if successful error message if failed
remarks	currently this works always with groups on page 1 (windows or playbacks), regardless which page the window or playback bank is set to in the UI.

Used In

- [MIDI To Web](#)
- [Int32](#)
- [Web-API requests](#)

From:
<https://avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:
https://avosupport.de/wiki/webapi/requests/group_setgroupfaderlevel

Last update: **2020/04/19 15:27**

